



EverWear

Playground and Water Apparatus

Catalog No. 22

Lithographed in U. S. A.

LAYOUT No 1

No	APPARATUS	PAGE
B-210	OCEAN WAVE	14
C-137	SEE-SAWS	19
B-200	8 SWINGS	16
X-304	HORIZONTAL LADDER	20
M-555	WHIRLING CLIMB	13
X-225	MERRY-WAVE-STRIDE	11
AB-40	PARALLEL BARS	23
AB-90	HORIZONTAL BAR	22
X-240	LOG SWING	21
X-160	WAVE RACER SLIDE	8-9
K-114	CHAIR SEAT SWINGS	18
X-190	KINDERGARTEN SLIDE	3
X-503	MERRY-GO-ROUND	12
I	30 FOOT FLAG STAFF	27



B-210



C-137



B-200



X-304



M-555

No 1

80' X 168'

30' FLAG STAFF



X-503



X-190

SAND BOX



K-114



X-160



X-240



AB-90



AB-40



X-225

LAYOUT No 2

X-225	MERRY-WAVE-STRIDE	11
J-300	8 SWING OUTFIT	17
M-555	WHIRLING CLIMB	13
B-189	SLIDE	5
X-304	HORIZONTAL LADDER	20
E-905	COMBINATION	34
C-137	SEE-SAWS	19
I	30 FOOT FLAG STAFF	27



X-225



J-300




M-555

LAYOUT No 3

30' FLAG STAFF

No 2

80' X 110'



B-189



C-137



E-905



X-304



K-300



C-139

No 3

50' X 80'



AB-0



X-179

20' FLAG STAFF

EverWear

Playground and Water Apparatus

To our friends—our customers:

TWENTY-TWO years have passed since the name EverWear became synonymous for the highest possible standard in playground and water apparatus. Today, this company ranks as the World's oldest and largest exclusive maker of such equipment and its product has become standardized in most of the larger recreation systems of the world.

It finds equal preference in the smaller cities, towns, and villages, individual schools and homes.

EverWear apparatus is exceptionally strong and well made. It is noted for its safety, durability, beauty, and playability. All of the standard, well recognized items of play equipment are found in

the EverWear line, as well as many others exclusively EverWear in their design and manufacture.

Much is claimed for EverWear apparatus in the way of safety, quality, and service and we invite and welcome the closest investigation of these claims.


EverWear products are sold on a simple guaranty of positive satisfaction or your money back.

We thank you for this opportunity of presenting our product and express the hope that your desire to be well satisfied will lead you to equip with EverWear.



The EverWear Manufacturing Company
SPRINGFIELD, OHIO, U. S. A.

Catalog No. 22




All Metal Slide Equilibrium Platform
(Bottom View)

The ruggedly strong, large, malleable iron, cadmium plated, equilibrium platform of EverWear slides is here shown, as is the hinge plate which attaches the chute to the stair assembly. Accidental disengagement of the chute from the platform is an absolute impossibility.




Detail Slide Assembly

Slide chute side rails are hard wood to which the bedway and bedway battens are attached with lag screws. EverWear slide chutes are exceptionally strong, well-made, and durable.



All Metal Slide Equilibrium Platform
(Top View)


Note the continuous hand guard rail of $\frac{3}{4}$ inch galvanized steel pipe which protects the user until safely seated ready to slide. This view shows also the one piece malleable iron, perforated stair-treads which are extremely durable and always free from dirt.



No. X-101 Slide Overhead Hand Guard Rail Attachment


Some users of slides prefer an overhead hand guard rail across the entrance to chute. This attachment is adaptable to any EverWear slide and is furnished as extra equipment.

No. X-101 Overhead Hand Guard Rail attachment, complete, ready to attach. Code EDBYS.




Chute Side Rail Joint Plate

This joint plate is used on all EverWear Slides where the chute comes in two pieces, as on 26 foot straight and 30 foot wave slides. It makes a safe, solid joint and the two sections of chute are held in rigid alignment. The joint is supported on two pieces of $1\frac{1}{4}$ inch galvanized steel pipe which reach, and are attached to, the ground.



Racer Slide Platform

The platform of all Racer Slides is strongly made of 2 inch hard wood and is supported on three pieces of two inch galvanized steel pipe for legs. The users are protected by $\frac{3}{4}$ inch galvanized steel pipe guard rails to which the stairs are rigidly attached. The chutes are attached to platform by means of positive hinge plates.



No. AJ-54 Removable Base


When it is desirable to clear the playground of apparatus for other use, during the winter, it will be found easy of accomplishment by using this fitting on all pipes where they attach to ground. The casting No. J-49 is set in the ground in concrete with its top flush with surface of ground. The pocket and slot allow pipe attachments to thus hold any leg pipe or base securely.

No. AJ-54 Removable Base complete. Code EDCXS.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



Let the children play
the EverWear Way.



PORTABLE KINDERGARTEN SLIDE

Eight Foot Chute


This is a dandy slide for the smaller children. It is well made, safe and durable. The stair assembly is well braced; set at an angle of 62 degrees; and is equipped with metal guard hand rails as a protection to the child.

The top platform is 4 feet 6 inches above ground. The chute is approximately 8 feet long and is very strong. The chute bedway is

furnished in rust-resisting, 18 gauge galvanized metal or hard wood, as desired. All wooden parts are painted two coats of jade green paint.

No. X-190 8 Foot Portable Kindergarten Slide, complete. Weight packed for shipment, 180 pounds. Code EDAZS.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



Detailed examination of EverWear Slides brings conviction that, regardless of price, they are the best slides that money can buy.

PORTABLE STRAIGHT *and* WAVE SLIDES

Sixteen Foot Chutes

These slides differ from other EverWear Slides, in 16 foot chute sizes or greater, in that the stability of the outfits is determined by the stair ground boards and stair braces which are attached directly to the stairs themselves.

The outfits are splendidly made. The stairs sit at an angle of 62 degrees and are equipped with rigid, continuous hand guard rails up to and over the top. The steps are perforated malleable iron. The chutes are attached to the stairs by a positive hinge. Chutes are 18

inches wide and approximately 16 feet long. Side rails are hard wood and the bedways are 16 gauge rust-resisting galvanized metal. Hard wooden bedway is supplied on straight slide if desired.


No. X-179 16 Foot Portable Straight Slide complete. Weight packed for shipment, 410 pounds. Code EFZAJ.

No. X-183 16 Foot Portable Wave Slide complete. Weight packed for shipment, 410 pounds. Code EFYBJ.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



For details of slides, please
refer to page two.



PORTABLE STRAIGHT *and* WAVE SLIDES

Sixteen Foot Chutes

All EverWear slides are splendid examples of the art of building recreation equipment. These slides stand 8 feet high to the top equilibrium platform. They are 6 feet wide and 18 feet 4 inches long over all on the ground.


The entire stair assembly, including the top equilibrium platform is of metal, rigidly held and braced, and is equipped with rigid continuous hand guard rails up to and over the top. The steps are perforated malleable iron. All metal parts are rust proofed by the Udylite Cadmium process. The chutes are 18 inches

wide and approximately 16 feet long. Side rails are hard wood and the bedway is 16 gauge rust-resisting galvanized metal. All wooden parts are painted two coats of jade green paint. Hard wooden bedway is supplied on straight slide if desired.

No. B-189 16 Foot Portable Straight Slide complete. Weight packed for shipment, 440 pounds. Code EVYBA.

No. B-193 16 Foot Portable Wave Slide complete. Weight packed for shipment, 440 pounds. Code EVXCA.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



For details of slides, please refer to page two.

FIXED STRAIGHT *and* WAVE SLIDES

Twenty Foot Chutes

These outfits are designed to be concreted in the ground. They stand 10 feet high to the top metal equilibrium platform and cover a ground area 5 ft. wide by 23 ft. 6 in. long.


The stairs are set at an angle of 62 degrees. The entire rigid stair assemblies are of metal, rust proofed by the Udyllite Cadmium process. The steps are perforated malleable iron. Continuous, rigid hand guard rails extend from the ground, up to and over the top, giving adequate protection at all times.

The chutes, 18 inches wide and approximately 20 feet long, are attached to the top equilibrium

platform by means of rugged metal hinges. The chute side rails are hard wood and the chute bedway material is 16 gauge rust-resisting galvanized metal. Hard wooden bedway is supplied on straight slides if desired. All wooden parts are painted two coats of jade green paint.

No. B-191 20 Foot Straight Slide complete. Weight packed for shipment, 540 pounds. Code EVWDA.

No. B-194 20 Foot Wave Slide complete. Weight packed for shipment, 540 pounds. Code EVVEA.



26 Foot Straight and 30 Foot Wave Slides

These outfits are to be set in concrete in the ground and are not portable. They stand 14 feet high to the top metal equilibrium platform and cover a ground area 33 feet 6 inches long, by 6 feet 6 inches wide.

The 18 inch chute, approximately 26 feet long for the straight slide and 30 feet long for the wave slide, comes in two sections which are securely joined by the EverWear locking compression joint plates. The chutes are attached to the stair assembly by a rugged hinged plate and supported on 6 tubular steel legs. Chute bedways are 16 gauge rust-resisting galvanized metal. Hard wooden bedway is supplied on straight slides if desired. Chute side rails are hard wood.

All wooden parts are painted two coats of jade green paint.

The all metal stairs are set at an angle of 62 degrees and are very strongly and rigidly made. The steps are perforated malleable iron and all metal parts are protected against rust by the Udyllite Cadmium process. Continuous hand guard rails extend from the ground, up to and over the top, supplying adequate protection to the user at all times.

No. B-307 26 Foot Straight Slide complete. Weight packed for shipment, 750 pounds. Code EVUFA.

No. B-308 30 Foot Wave Slide complete. Weight packed for shipment, 750 pounds. Code EVTGA.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



RACER SLIDES

EverWear Racer Slides are furnished in four chute sizes: 16 foot wave and straight chutes; 20 foot wave and straight chutes; 26 foot straight chutes; and 30 foot wave chutes.

On this page we illustrate racer slide No. X-164 equipped with two 30 foot wave chutes and on the opposite page we illustrate No. X-161, equipped with two 16 foot straight chutes. With the extreme sizes so illustrated, you can easily picture the other sizes.

These outfits are extremely strong and well made. The double width all metal stairs, set

at an angle of 62 degrees, are equipped with three continuous, rigid hand guard rails. The heavy wooden platform which is supported on 2 inch galvanized steel pipe legs is adequately equipped with all metal guard rails. All metal parts are protected against rust by the Udylyte Cadmium process.

Chute construction is the same as described in the preceding pages for the single slide outfits. All wooden parts are painted two coats of jade green paint.



Place platform on side on box on ground and insert leg pipes and tighten "dogs"



Raise the entire assembly at once. It takes a bit of heaving—but the job is soon over.

For details of slides, please refer to page two.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



Progress is being made and the leg pipes will soon be in the holes.



The job is done! Level up the platform; attach stairs and chutes; level all up; fill holes with concrete; and it's all done.

For details of slides, please refer to page two.



RACER SLIDES

No. X-160 Racer Slide, equipped with two 16 foot wave chutes, complete. Weight packed for shipment 950 pounds. Code EFXCJ.


No. X-161 Racer Slide, equipped with two 16 foot straight chutes, complete. Weight packed for shipment, 950 pounds. Code EFWDJ.

No. X-162 Racer Slide, equipped with two 20 foot wave chutes, complete. Weight packed for shipment 1,140 pounds. Code EFVEJ.

No. X-163 Racer Slide, equipped with two 20 foot straight chutes, complete. Weight packed for shipment 1,140 pounds. Code EFUFJ.

No. X-164 Racer Slide, equipped with two 30 foot wave chutes, complete. Weight packed for shipment 1,440 pounds. Code EFTGJ.

No. X-165 Racer Slide, equipped with two 26 foot straight chutes, complete. Weight packed for shipment 1,440 pounds. Code EFSHJ.



Section View of Giant Stride Head

The extreme simplicity of the EverWear Giant Stride Head is a most valuable feature, insuring long life and trouble-free service. EverWear giant stride heads have given splendid service for 20 years of continuous use and the first EverWear stride made is in use today.



GIANT STRIDES

Giant Strides are the "Seven Leaged Boot" of the playground

No. AB-0 Giant Stride with 8 aluminum grip chain ladder handles, complete, no post. Shipping weight 80 lbs. Code EVMNA.

No. AS-0 Same as AB-0, except it has 6 handles. Shipping weight 70 lbs. Code EVLOA.

No. AB-1 Giant Stride with 8 all-steel ladder handles complete, no post. Shipping weight 107 lbs. Code EVKPA.

No. AS-1 Same as AB-1 except it has 6 handles. Shipping weight 97 lbs. Code EVJQA.

No. AB-2 Giant Stride, 8 wood ladder handles, no post. Shipping weight 85 lbs. Code EVIRA.

No. AS-2 Same as AB-2 except it has 6 handles. Shipping weight 71 lbs. Code EVHSA.

No. AB-3 Giant Stride with 8 aluminum grip rope ladder handles, complete, no post. Shipping weight 75 lbs. Code EVGTA.

No. AS-3 Same as AB-3 except it has 6 handles. Shipping weight 64 lbs. Code EVFUA.

No. AB-50 Eight Ladder Giant Stride Pivot Head only. Shipping weight 20 lbs. Code EVEVA.

No. AS-50 Six Ladder Giant Stride Pivot Head only. Shipping weight 20 lbs. Code EVDWA.

Pipe specifications: 1 piece 4 inch pipe 16 feet long. Weight for shipment 174 pounds.

The above outfits are all 12 feet high above ground level.

EverWear Junior Giant Stride


The EverWear Junior Giant Stride is 8 feet 6 inches high above ground level; is equipped with 6, two rungged chain ladder handles; and is particularly adaptable for very small children.

No. J-430 Giant Stride complete, no post. Weight packed for shipment 70 pounds. Code EDOLS.

No. J-430-P Post for J-430. Weight for shipment 85 pounds. Pipe required: one piece of 3 inch galvanized pipe 11 feet long.



THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



The universal action of the EverWear ball and socket head cannot be excelled for simplicity, durability and safety. The large bearing area is not equalled by any other type. While lubrication is advisable, and the fitting is equipped with an Alemite-Zerk grease nipple, yet continuous lubrication is not an absolute necessity for satisfactory service. It stands the use and abuse of the playground.



Ever Wear Junior Merry-Wave-Stride
(Patented, 1740304)

The EverWear Junior Merry-Wave-Stride is 8 feet 6 inches high above ground level and is 5 feet 6 inches in diameter. Particularly adaptable for the very small children.

No. J-435 Merry-Wave-Stride complete, no post. Shipping weight 200 lbs. Code EDNMS.

No. J-435P Post for J-435. Weight for shipment 85 pounds. Pipe required: one piece 3 inch galvanized pipe 11 feet long.



MERRY-WAVE-STRIDE

(Patented, 1740304)

Since its introduction, this outfit has secured a splendid reception. Many hundreds of them are now rendering valuable recreation service all over the nation.

The outfit rotates and oscillates around the center post and the children hang by the hands from the rigid hand rail. It is real fun and wonderful exercise.

The outfit is 10 feet high and 8 feet in diameter. All castings are protected against rust by the Udylyte Cadmium patented process. The outfit is suspended by 6 pieces of 8-o lock weave galvanized steel chain having a total weight


capacity of 17,700 pounds. The hand rail is 5 feet 2 inches above ground level.

The top head is the new, EverWear, non-removable ball and socket type, equipped with Alemite-Zerk lubrication system. It is well made and will stand both use and abuse and give trouble proof service.

No. X-225 Merry-Wave-Stride complete, no post. Weight packed for shipment, 275 pounds. Code EFSHJ.

Pipe specifications: 1 piece 4 inch pipe 14 feet long. Weight for shipment 174 pounds.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



PORTABLE MERRY-GO-ROUND

(Patent applied for)


The EverWear Merry-Go-Round is furnished in a portable outfit only. The center post and base is bolted to heavy wooden 6" x 8" x 6' cross timbers which may be set on the floor or ground. All weight is supported by the lower bearing which is 5 ton capacity. The radial thrust is supported at the top by a bearing of 1½-ton capacity. All bearings are Timken Tapered Roller Bearings, which are arranged to operate in grease at all times. The Alemite-Zerk system of lubrication is used.

The outfit is rigidly braced and strongly made. All wooden parts are oak, painted two coats of jade green paint. The enclosed drum is hexagonal in shape.

The foot platform is circular in form. Safe hand holds are provided and the outfit is free from every element of danger. All exposed castings are protected against rust by the Udylite Cadmium Process of Rust-Proofing. The Merry-Go-Round is 10 feet in diameter and 3 feet 6 inches high. The foot platforms are 8 inches above ground level.

Moving parts are fully enclosed. Normal capacity is 40 children. The Merry-Go-Round is easily erected and the center post comes fully assembled, lubricated and ready for installation.

No. X-503 Portable Merry-Go-Round complete. Weight packed for shipment 1,500 pounds. Code EDUFS.



Junior Merry-Go-Rounds

(Patent applied for)

The Junior Merry-Go-Round is 3 feet 6 inches high and 6 feet in diameter. It is furnished with 6 small seats arranged close to the center post. These outfits are particularly adaptable for very small children.


No. X-445 Junior "Fixed" Merry-Go-Round complete. Weight packed for shipment 550 pounds. Code EDLOS.



THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



5 TON CAPACITY
ALEMITE-ZERK
LUBRICATION
TIMKEN TAPERED
ROLLER BEARING




WHIRLING CLIMB

(Patent applied for)

This EverWear Whirling Climb Outfit has received a most hearty welcome. The volume of sales on it has more than justified our expectations. In capacity, it holds 40 and more children at one time. The outfit furnishes a new type of fun—the children climb as they go. The higher they climb, the closer they are to the center. This is a vital point for safety. The outfit is similar in general frame construction to the Merry-go-Rounds, illustrated on page 12. All weight is suspended from a five-ton capacity Timken Tapered Roller Bearing, which operates in grease at all times and is held by the center 4-inch galvanized steel pipe which is set in concrete in the ground to a depth of 4 feet.

Lubrication is by the Alemite-Zerk system. The lower horizontal thrust is relieved by heavy duty roller bearings which operate in grease. The outfit is 10 feet in diameter and 6 feet 6 inches high. The top of platform is 12 inches above ground. The three tiers of oak seat boards are rigidly assembled to the brace rods, and hand rails protect the children at all points. All moving parts are enclosed and outfit is easily assembled. Center post is shipped assembled and lubricated, ready for concreting in the ground. Exposed metal parts protected against rust by Udyllite Cadmium process.

No. M-555 Whirling Climb complete. Shipping weight 1,325 lbs. Code EVAZA.



OCEAN WAVE

(Patented, No. 1529890)

The EverWear Ocean Wave is easily the best made in durability, rigidity, and simplicity of construction, and safety for the users.

The outfit is 10 feet high and 11 feet 6 inches in diameter. The top ball and socket head is the EverWear non-removable type and is lubricated by the Alemite-Zerk system.

The normal height of platform above ground, when still, is 24 inches. When the safety inner circle touches the rotating bumper wheel, the platform clears the ground by 8 inches.

The ten suspension bars are $\frac{1}{4}$ x $1\frac{1}{4}$ inches wrought iron. The rigid, circular hand rail is $\frac{3}{4}$ inch galvanized steel pipe. The safety inner circle is $\frac{1}{2}$ x $2\frac{1}{4}$ inches wrought iron.

The metal EverWear patented rotating bumper wheel protects post from the cutting action of inner circle and cushions the shock of contact.


The wood platform boards are held inflexibly at the joint by malleable iron suspension plates. All metal parts are protected against rust by the Udylyte Cadmium process of rust proofing, excepting the inner circle and its supports and the bumper wheel, which are black dipped. The platform boards are painted two coats of jade green paint.

No. B-210 Ocean Wave complete, no post. Shipping weight 675 lbs. Code EWZAB.

Pipe specifications: 1 piece 4 inch pipe 14 feet long. Weight for shipment 154 pounds.



The universal action of the EverWear Ball and Socket Head cannot be excelled for simplicity, durability and safety. The large bearing area is not equalled by any other type. While lubrication is advisable, and the fitting is equipped with an Alemite-Zerk grease nipple, yet continuous lubrication is not an absolute necessity for satisfactory service. It stands the use and abuse of the playground.



Malleable iron suspension plates hold the joints of the platform absolutely inflexible. This is a necessity and protects the outfit from wracking and destruction.




EverWear Junior Ocean Wave (Patented, No. 1529890)


The EverWear Junior Ocean Wave is 6 feet 6 inches in height over all and 7 feet 2 inches in diameter. It is a splendid outfit for small children.

No. J-440 Ocean Wave complete, no post. Weight packed for shipment 200 pounds. Code EDKPS.

No. J-440P Post for J-440. Weight for shipment 68 pounds. Pipe required: 1 piece 3 inch galvanized pipe 9 feet long.



THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



SWING SEATS *and* SUSPENSIONS

EverWear Swings are the World's Best

No. E-220 Self-Propelling Swing, Boat Type with hangers. Weight packed for shipment 154 pounds. Code EWYBB.

No. E-200 Ball Bearing Long Link Swing with hangers. Weight packed for shipment 30 pounds. Code EWXCB.

No. N-200 Ball Bearing Long and Short Link Swing with hangers. Weight packed for shipment 25 pounds. Code EWWDB.

No. D-200 Ball Bearing Chain Swing with hangers. Weight packed for shipment 25 pounds. Code EWVEB.


No. S-200 EverWear Light Weight Swing Seat only. Weight packed for shipment 5 pounds. Code EWUFB.

No. R-200 EverWear Rubber Bumper, Can't Slip Swing Seat only. The safest seat made.

Weight packed for shipment 7 pounds. Code EWTGB.

No. G-200 EverWear Swing Seat only. The strongest seat made. Weight packed for shipment 7 pounds. Code EWSHB.

All metal parts are protected against rust by the patented Udylite Cadmium process of rust proofing.



STANDARD SWING OUTFITS

No. B-200 Six Swing Outfit with E-200 swings. Outfit 12 feet high, 30 feet long at top and 43 feet long over all, complete, no pipe. Code EWRIB.

Outfit comprises 6 E-200 swings; 2 C-28 end tripod fittings; 1 C-29 center trestle fitting and 8 G-2 ground flanges. Shipping weight 340 lbs. Pipe Specifications: 2 pieces 3-inch pipe, 15 feet long; 8 pieces 2-inch pipe, 15 feet long. Shipping weight 670 lbs.

No. B-200-R, same as B-200, described above, except equipped with R-200 swing seats. Shipping weight 360 lbs. Pipe Specifications: same as B-200. Code EWQJB.

No. A-200 Six Swing Outfit with D-200 swings, otherwise same as B-200 described above. Complete, no pipe. Shipping weight 300 lbs. Pipe Specifications: same as B-200. Code EWPKB.

No. A-200-R, same as A-200, described above, except equipped with R-200 swing seats. Shipping weight 320 lbs. Pipe Specifications: same as B-200. Code EWOLB.

No. H-200 Three Swing Outfit with E-200 swings. Outfit 12 feet high, 15 feet long at top and 18 feet long over all, complete, no pipe. Code EWNMB.

Outfit comprises 3 E-200 swings, 2 C-28 end tripod fittings and 6 G-2 ground flanges. Shipping weight 190 lbs. Pipe Specifications: 1 piece 3-inch pipe, 15 feet long; 6 pieces 2-inch pipe, 15 feet long. Shipping weight 440 lbs.

No. H-200-R, same as H-200, described above, except equipped with R-200 swing seats. Shipping weight 210 lbs. Pipe Specifications: same as H-200. Code EWMNB.

No. J-200 Three Swing Outfit with D-200 swings, otherwise same as H-200 complete, no pipe. Shipping weight 185 lbs. Pipe Specifications: same as H-200. Code EWLOB.

No. J-200-R, same as J-200, described above, except equipped with R-200 swing seats. Shipping weight 205 lbs. Pipe Specifications: same as H-200. Code EWKPB.

No. F-200 Three Swing Outfit with E-200 swings. Outfit 10 feet high, 15 feet long at top and 17½ feet long over all, complete, no pipe. Code EWJQB.


Outfit comprises 3 E-200 swings, 2 C-12 end trestle fittings and 4 G-1 ground flanges. Shipping weight 150 lbs. Pipe Specifications: 1 piece 3-inch pipe, 15 feet long; 4 pieces 1½-inch pipe, 13 feet long. Shipping weight 256 lbs.

No. F-200-R, same as F-200, except equipped with R-200 swing seats, complete, no pipe. Shipping weight 165 lbs. Pipe Specifications: same as F-200. Code EWIRB.

No. C-200 Three Swing Outfit with D-200 swings, otherwise same as F-200 described above, complete, no pipe. Shipping weight 135 lbs. Pipe Specifications: same as F-200. Code EWHBS.

No. C-200-R, same as C-200 except equipped with R-200 swing seats, complete, no pipe. Shipping weight 155 lbs. Pipe Specifications: same as F-200. Code EWGTB.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



LIGHT WEIGHT SWING OUTFITS

No. J-300 Eight Swing Outfit with S-200, 8-0 chain, light weight swings. Outfit is 10 feet high, 36 feet long at top and 47 feet long over all, complete, no pipe. Code EWFUB.

Outfit comprises 8 S-200 ball bearing chain swings; 2 C-48 end tripod fittings; 3 C-49 center trestle fittings, and 12 G-1 ground flanges. Weight packed for shipment 310 pounds.

Pipe Specifications: 2 pieces 2-inch pipe, 18 feet long; 12 pieces 1½-inch pipe, 13 feet long. Weight for shipment 564 pounds.

No. K-300 Six Swing Outfit, same as eight swing outfit except 27 feet long at top and 38 feet long over all, complete, no pipe. Code EWEVB.

Outfit comprises 6 S-200 ball bearing chain swings; 2 C-48 end tripod fittings; 2 C-49 center trestle fittings, and 10 G-1 ground flanges. Weight packed for shipment 255 pounds.

Pipe Specifications: 1 piece 2-inch pipe, 18 feet long; 1 piece 2-inch pipe, 9 feet long; and 10 pieces 1½-inch pipe 13 feet long. Weight for shipment 459 pounds.

No. L-300 Four Swing Outfit, same as 8 swing outfit except 18 feet long at top and 29 feet long over all, complete, no pipe. Code EWDWB.


Outfit comprises 4 S-200 ball bearing chain swings; 2 C-48 end tripod fittings; 1 C-49 center trestle fitting, and 8 G-1 ground flanges. Weight packed for shipment 195 pounds.

Pipe Specifications: 1 piece 2-inch pipe, 18 feet long; 8 pieces 1½-inch pipe, 13 feet long. Weight for shipment, 354 pounds.

No. M-300 Two Swing Outfit, same as 8 swing outfit except 9 feet long at top and 20 feet over all, complete, no pipe. Code EWCXB.

Outfit comprises 2 S-200 ball bearing chain swings; 2 C-48 end tripod fittings and 6 G-1 ground flanges. Weight packed for shipment 130 pounds.

Pipe Specifications: 1 piece 2-inch pipe, 9 feet long; 6 pieces 1½-inch pipe, 13 feet long. Weight for shipment 249 pounds.



Kindergarten Chair Seat-Baby Hammock Swings

No. K-114 Six Chair Seat Swing Outfit. Complete, no pipe. Code EWBYB.

Outfit comprises 6 K-201 chair seat swings; 2 C-42 end trestle fittings; 1 C-49 center trestle fitting and 6 G-1 ground flanges. Shipping weight 255 lbs. Pipe Specifications: 2 pieces 2-inch pipe, 10 feet long; 6 pieces 1½ inch pipe, 10 feet 6 inches long. Shipping weight 254 lbs.

No. K-116 Three Chair Seat Swing Outfit. Complete, no pipe. Code EWAZB. Outfit comprises 3 K-201 chair seat swings; 2 C-42 end trestle fittings and 4 G-1 ground flanges. Shipping weight 145 lbs. Pipe Specifications: 1 piece 2-inch pipe 10 feet long; 4 pieces 1½ inch pipe, 10 feet 6 inches long. Shipping weight 157 lbs.

The chair seat swings are of wooden construction, strongly made

No. K-115 Three Baby Hammock Swing Outfit. Complete, no pipe. Code EAZAC. Outfit comprises 3 K-42 baby hammock swings; 2 C-42 end trestle fittings and 4 G-1 ground flanges. Weight packed for shipment, 120 lbs.

Pipe Specifications: 1 piece 2-inch pipe, 10 feet long; 4 pieces 1½-inch pipe 10 feet 6 inches long. Weight for shipment 157 pounds.


No. K-201 Single Chair Seat Swing only, with Ball Bearing Clamps. Weight packed for shipment 18 pounds. Code EAYBC.

No. AK-42 Single Baby Hammock Swing only, with Ball Bearing Clamps. Weight packed for shipment 15 lbs. Code EAXCC.

The Baby Hammock Swings are of heavy duck spread on pipe arms.



THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



SEE-SAWS

EverWear See-Saws are most popular on the playground. They are strong and durable. The frame is made of 2-inch top run pipe and 2-inch pipe uprights. The fittings are the EverWear Patented double compression toothed "dog" type. The See-Saw boards are clear fir, 12 feet long, 1 foot wide, and 2 inches thick, saddle shaped on ends and edges nicely rounded. They are painted two coats of jade green paint.

All models are equipped with the EverWear one piece malleable iron, UdyLite Cadmium processed handles, and all models except No. B-135 are furnished with the new No. X-30 adjustable and non-removable fulcrums,

illustrated above. No. B-135 is furnished with hinged fulcrum only. Models No. C-137 and No. C-139 are to be concreted in the ground. Models No. A-138 and No. B-135 are portable.

No. C-137 Four Board See-Saw complete, no pipe. (To be concreted in ground). Weight packed for shipment 350 pounds. Code EFRIJ.

Pipe Specifications: 1 piece 2-inch pipe, 12 feet long; 2 pieces 2-inch pipe, 3½ feet long; 1 piece 1½-inch pipe, 3½ feet long. Weight for shipment 92 pounds.

No. A-138 Four Board See-Saw complete, no pipe. (Outfit portable). Weight packed for shipment 375 pounds. Code EAVEC.


Pipe Specifications: 1 piece 2-inch pipe, 12 feet long; 5 pieces 1½-inch pipe, 21 inches long. Weight for shipment 70 pounds.

No. C-139 Two Board See-Saw complete, no pipe. (To be concreted in ground). Weight packed for shipment 215 pounds. Code EFQJJ.

Pipe Specifications: 1 piece 2-inch pipe, 6 feet long; 2 pieces 2-inch pipe, 3½ feet long. Weight for shipment 60 pounds.

No. B-135 One Board See-Saw complete. (Outfit portable). Weight packed for shipment 90 pounds. Code EATGC.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



Horizontal Ladder

This Standard Horizontal Ladder is 16 feet long, 19½ inches wide, and 7 feet 6 inches high in the clear. Outfit is made of 2-inch galvanized steel pipe through out, with ¾-inch pipe rungs, which are set in rung holders, which in turn, are set into the 2-inch side rail pipes.

Basket Ball Backstops, Volley Ball and Tennis Posts

Basket Ball Backstops are made of galvanized steel except the backstop frame which is hardwood painted two coats of jade green paint. Backstops are 6 feet long by 4 feet high.

No. B-310 Perforated Backstops and Chain Goals, pair complete, no posts. Weight packed for shipment 240 pounds. Code EAPKC.

No. B-315 Plain Backstops and Chain Goals, pair complete, no posts. Shipping weight 240

lbs. Code EAOLC. Pipe Specifications: 2 pieces 3-inch pipe 16 feet long.


No. B-301 All-steel Goals and Baskets, pair complete. Weight packed for shipment 45 pounds. Code EANMC.

No. B-186 Combination Volley Ball and Tennis Posts, pair complete. Weight for shipment 95 pounds. Code EAMNC.

No. B-187 Tennis Posts, pair complete. Shipping weight 75 lbs. Code EALOC.

The ladders are riveted together by long rivets. Corner elbows are the EverWear internal expanding type; positive in their grip and neat in appearance.

No. X-304 Horizontal Ladder complete. Shipping weight 370 lbs. Code EFPKJ.




Junior Horizontal Ladder

The EverWear Junior Horizontal Ladder is 10 feet 6 inches long, 19½ inches wide, and stands 6 feet high above ground level in the clear.

No. X-465 Horizontal Ladder complete. Weight packed for shipment 270 pounds. Code EFOLJ.

All metal fittings are protected against rust by the Udyllite Cadmium process of rust proofing.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



LOG SWING

The EverWear Log Swing is a most unusually attractive outfit for the smaller children. It accommodates a number at one time. The outfit is 6 feet high above ground level; is 3 feet 8 inches wide and 6 feet 2 inches long. Ground measurements over all are 12 feet long and 6 feet 8 inches wide.


Top hangers are the EverWear Lubricated Ball Bearing type of clamps and the bearings under

the log are roller type. The corner elbows are the EverWear interior expanding "dog" type which are neat in appearance and positive in their safety.

The log is clear fir wood 10 inches wide, 2 inches thick, and 10 feet long and is painted two coats of jade green paint. All edges and ends are nicely rounded.

The frame work is 2-inch galvanized steel pipe. The end brace supports are 1 1/4-inch galvanized steel pipe. All casting parts are protected against rust by the Udyllite Cadmium process.

No. A-240 Log Swing complete. Weight packed for shipment 500 pounds.
Code EFNMJ.



Teeter Ladders

Teeter Ladders are of $\frac{1}{2}$ -inch pipe, diamond trussed, operating on rugged roller bearings.

The double teeter ladder frame is 6 feet high and 9 feet 6 inches long over all. The ladders are 11 feet $1\frac{1}{2}$ inches long. The single teeter ladder is adjustable in height.

No. B-157 Double Teeter Ladder complete, no pipe. Shipping weight 200 lbs. Code EAKPC. Pipe Specifications: 1 piece 2-inch pipe 8 feet long; 4 pieces $1\frac{1}{2}$ -inch pipe 7 feet 6 inches long. Weight for shipment 112 pounds.

No. B-155 Single Adjustable Teeter Ladder complete. Shipping weight 178 lbs. Code EAJQC.

No. B-153 Teeter Ladder only complete bearings. Shipping weight 85 lbs. Code EAIRC.

Horizontal Bar

Uprights are 3-inch galvanized steel pipe standing 7 $\frac{1}{2}$ feet above ground, set in concrete in the ground to a depth of 2 $\frac{1}{2}$ feet. Bar 6 feet long, cold rolled steel, Udylyte Cadmium processed, "U" shaped ends and pins for height adjustment.

No. AB-90 Horizontal Bar complete. Weight for shipment 200 pounds. Code EAHSC.

No. AB-31 Horizontal Bar only with "U" ends for either 2-inch or 3-inch uprights. Weight for shipment, 30 pounds. Code EAGTC.

EverWear Junior Horizontal Bar

The EverWear Junior Horizontal Bar Outfit stands 6 feet high in the clear and is 4 feet 7 inches wide. Made all of galvanized pipe.

No. J-470 Horizontal Bar complete. Shipping weight 100 lbs. Code EDHSS.

Jump and Vaulting Standards


Jump standards are galvanized steel pipe 6 feet high above ground and are supplied either portable or for concreting into the ground. Vaulting standards are 12 feet high above ground and are equipped with iron steps for replacement and adjustment of stick. Stick height adjustment on both outfits is obtained by a friction clamp equipped with hardened spring and plunger.

No. A-184 Portable Jump Standards complete. Shipping weight 80 lbs. Code EDDWS.

No. B-184 Fixed Jump Standards complete. Shipping weight 80 lbs. Code EAFUC.

No. B-185 Fixed Vaulting Standards complete. Weight packed for shipment 125 pounds. Code EAEVC.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



All-Steel Parallel Bars

The bars are $1\frac{1}{4}$ -inch cold rolled steel, Udylite Cadmium processed and are furnished in either 8-foot or 10-foot lengths. Uprights are 2-inch galvanized steel pipes.

No. AB-40 Parallel Bars 8 feet long, complete. Weight packed for shipment 200 pounds. Code EABYC.

No. AB-44 Parallel Bars 10 feet long, complete. Weight packed for shipment 220 pounds. Code EAAZC.

Vaulting Horse and Buck

The bodies are made of wood, strongly constructed, and covered with heavy duck having

welted seams and painted two coats of paint. They are mounted on 3-inch pipe and are easily detached for storage.

No. AC-91 Vaulting Horse complete. Weight packed for shipment 220 pounds. Code ESZAD.

No. AC-92 Vaulting Buck complete. Weight packed for shipment 130 pounds. Code ESYBD.

Playground Mats

Made of hair felt covered with heavy duck welted seams. Mats $2\frac{1}{2}$ inches thick.

No. AB-25 Mat, size 3 x 5 feet. Weight

packed for shipment 55 pounds. Code ESVED.

No. AB-26 Mat, size 4 x 6 feet. Weight packed for shipment 70 pounds. Code ESXCD.


No. AB-27 Mat, size 5 x 6 feet. Weight packed for shipment 75 pounds. Code ESWDD.

Incline Boards

Extra heavy and strongly made. Slatted top and painted two coats of jade green paint.


No. AB-93 Incline Board complete. Weight packed for shipment 75 pounds. Code ESUFD.

EverWear HAPPY TIME PL




Happy Time (4 Play, 3 User) All Metal Gym. No. HT-114

This is a splendid all metal combination outfit, strongly made and designed for three to use at the same time. It consists of flying rings, trapeze, horizontal bar and swing. Frame is galvanized steel pipe; fittings are malleable iron; ground boards are anchored to ground at each end. Outfit is 7 feet high and 7 feet long at top. Weight packed for shipment 125 pounds. Code EFMNJ.




Happy Time (3 Play, 1 User) All Metal Gym No. HT-118

This is a splendid all metal combination outfit, strongly made and designed for one to use at a time. It consists of flying rings, trapeze, and swing, all interchangeable on the chain suspensions. Frame is galvanized steel pipe; Fittings are malleable iron. Ground boards are anchored to ground at each end. Outfit is 7 feet high and 40 inches wide at top. Weight packed for shipment 80 pounds. Code EFHSJ.



Happy Time 8 Foot Slide No. HT-115


This slide is dandy for the very small children. It is well made of hard wood throughout and is well braced. The chute bedway is hard wood, varnished and waxed. Slide is finished in attractive colors. Height above ground level to top step is $4\frac{1}{2}$ feet. Length of chute is approximately 8 feet. Weight packed for shipment 110 pounds. Code EFLOJ.



Happy Time 10 Foot

This slide is better for children of var wood throughout and is well braced, varnished and waxed. Slide is finished ground level to top step is $5\frac{1}{2}$ feet. 10 feet. Weight packed for shipment

In these days, probably nothing is more essential than to make the Home attractive to the child. Dangerous traffic conditions make the streets hazardous for play and yet the child must play somewhere. A few pieces of EverWear Happy Time Apparatus for the Home will transform even a small yard into a place of magnetic attraction.




Happy Time Sand Box No. HT-121

This is a very good sand box. Hard wood throughout painted in attractive colors. Assembles by means of wing nuts. Easily taken down for storage. Size of sand box is 3' x 3' and is equipped with small corner seats. Canopy gives good shade. Canvas water container, to fit into the sand box itself, changes it to a wading pool.

No. HT-121 Box only. Shipping Weight 40 lbs. Code EFGTJ.

No. HT-122 Canopy. Shipping Weight 9 lbs. Code EFFUJ.

No. HT-123 Pool attachment. Weight 3 lbs. Code EFVJ.



Happy Time Rocking Boat No. HT-127


This is a dandy outfit for the smaller children. They sit inside the boat and are safe. The rocking boat is 48 inches long, 16 inches wide, and 12 inches high. Made of hard wood and painted in attractive colors. Weight packed for shipment 40 lbs. Code EFCXJ.

AY APPARATUS *for the home*




Slide No. HT-117

ed sizes. It is well made of hard wood. The chute bedway is hard wood, in attractive colors. Height above ground level is approximately 12 feet. Length of chute is approximately 120 pounds. Code EFKPJ.



Happy Time 12 Foot Slide No. HT-119

This slide is best for larger children. It is well made of hard wood throughout and is well braced. The chute bedway is hard wood, varnished and waxed. Slide is finished in attractive colors. Height above ground level to top step is 6½ feet. Length of chute is approximately 12 feet. Weight packed for shipment 130 pounds. Code EFJJQJ.



Happy Time (3 Play, 3 User) Wood Gym No. HT-116


This is a good all wood combination outfit, strongly made and designed for three to use at the same time. It consists of flying rings, trapeze, and swing. The frame is made of hard wood and finished in attractive colors. The frame is anchored to the ground. Outfit is 7 feet high and 7 feet long at top. Weight packed for shipment 75 pounds. Code EFIRJ.

and the child will find endless hours of healthful recreation there. These outfits are designed and built only for use in the home and are not to be confused with our standard EverWear outfits which are built for general public use. Under Home conditions, these Happy-Time outfits will last indefinitely.




Happy Time Rocking Teeter No. HT-104

This outfit is dandy for the children. The board is made of hard wood to which is attached the sturdy metal rockers. It is equipped with one piece handles. It is finished in attractive colors. The board is 7 feet long and 9 inches wide. The top of board is 18 inches high. The metal rockers are 30 inches long and 13 inches wide. Weight packed for shipment 35 pounds. Code EFBYJ.



Happy Time Ball Bearing Whirling See-Saw No. HT-120

This outfit gives the children a real thrill. It not only is a see-saw, but rotates as well. Both motions are carried on Ball Bearings and the outfit is ruggedly made and durable. The beam is hard wood, size 2" x 4" x 7' long. The outfit stands 23 inches high and 30 inches high to top of handles. Seats are saddle shaped. The outfit is painted in attractive colors. Weight packed for shipment 50 lbs. Code EFAZJ.





Happy Time (5 Play, 1 User) Wood Gym No. HT-124

Unusually attractive in that it combines a swing, trapeze, flying rings, horizontal bar, and see-saw in one fine outfit. All units interchangeable and changes easy to make. Frame is wood, 7 feet high, 40 inches wide. Well braced and designed to be anchored to the ground. Shipping Weight 80 lbs. Code EGZAK.

Happy Time (3 Play, 1 User) Wood Gym No. HT-126

Identical to above, excepting equipped only with swing, rings and trapeze. Shipping Weight 70 lbs. Code EFDWJ.



TRAVELING RING OUTFITS

Traveling Ring Outfits are wonderful for healthful exercise. The No. E-800 style gives one straight line of flight, where the rider by swinging from one ring to another can travel back and forth as many times as possible. The other style is the No. B-250 Circular Traveling Rings (Patented) where the rings are suspended in a circle and the rider travels from one to the next (or skips every other one) thus endlessly traveling in one direction. The Circular Traveling Ring Outfit is especially suitable where ground space is limited. This outfit may also

be used as flying rings when desired. This outfit does not rotate.

All rings are suspended by 8-o lock weave galvanized steel chain from Ball Bearing clamps at the top. Both outfits are strongly, rigidly made and will give endless fun and healthful exercise.

No. E-800 Straight Line Traveling Ring Outfit. Complete, no pipe. Outfit is 14 feet high, 55 feet long over all and 13 feet 6 inches wide. Outfit comprises: 6 No. B-207 Ball Bearing Traveling Rings; 2 No. C-28 end tripod

fittings; 1 No. C-29 center trestle fitting and 8 No. C-2 ground flanges. Weight packed for shipment 190 pounds. Code EASHC.


Pipe Specifications: 2 pieces 3-inch pipe 20 feet long; 8 pieces 2-inch pipe 17 feet long.

No. B-250 Circular Traveling Ring Outfit complete, as illustrated, no post. Outfit is 12 feet high and 10 feet in diameter. Weight packed for shipment 380 pounds. Code EARIC.

Pipe Specifications: 1 piece 4-inch pipe 16 feet long.

All metal parts are protected against rust by the Udylite Cadmium process of rust proofing.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



FLAG STAFFS

Everwear Flag Staffs are made of standard full weight galvanized steel pipe, telescoped at joints and held securely with compression shoulder bolts. See detail above. All staffs are equipped with top ball casting 6 inches in diameter which also contains the EverWear non-chain-jamming sheave pulley for either chain or rope halyard.

In addition to top ball finish No. X-200, illustrated above, which is standard equipment on all EverWear flag staffs, we can supply a very neat Cross, **No. X-201**, or an Eagle, **No. X-202**. When these special top finishes

NOTE: Flag Staffs are not equipped with ground flanges.

are desired the price of same is in addition to the price of the complete staff itself. These special top finishes are separately priced in the price list.


20 Foot Staff, 23 feet over all, starter pipe 2 $\frac{3}{8}$ inches, concreted in ground 3 feet. Weight packed for shipment 101 pounds. Code ESTGD.

30 Foot Staff, 34 feet over all, starter pipe 2 $\frac{7}{8}$ inches, concreted in ground 4 feet. Weight packed for shipment 175 pounds. Code ESSHD.


40 Foot Staff, 44 feet over all, starter pipe 3 $\frac{1}{2}$ inches, concreted in ground 4 feet. Weight packed for shipment 283 pounds. Code ESRID.

50 Foot Staff, 55 feet over all, starter pipe 4 inches, concreted in ground 5 feet. Weight packed for shipment 430 pounds. Code ESQJD.


No. 2 Lock Weave Galvanized Steel Chain for halyard, per foot. We do not furnish rope.



J-471



J-472



J-475



HOME OUTFITS

For those who wish an outfit for the home made of heavier material than the EverWear Happy Time line for the Home (shown on pages 24 and 25), we heartily recommend these outfits.

No. J-471 Single Swing Outfit is 8 feet high and 4 feet long at top. Swing seat is No. S-200 (shown on page 15). All fittings are malleable iron and are protected against rust by the Udylite Cadmium process. Swing suspension is 8-o lock weave galvanized steel chain. Outfit is set on ground boards which are anchored to the ground at each end.

No. J-471 Single Swing Outfit, complete, no pipe. Weight packed for shipment 150 pounds. Code EGYBK. Pipe Specifications: 1 piece

2-inch pipe 4 feet long; 4 pieces $1\frac{1}{2}$ inch pipe 8 feet 3 inches long. Code EGXCK.

No. J-472 Three Unit Combination Outfit is 8 feet high and 10 feet long. Apparatus is 1 B-205 flying rings; 1 X-211 trapeze; and 1 S-200 swing. All units are equipped with 8-o lock weave galvanized steel chain suspensions and ball bearing clamps. Outfit is set on ground boards which are anchored to the ground at each end.

No. J-472 Three Unit Combination Outfit, complete, no pipe. Weight packed for shipment 170 pounds. Code EGWDK.


Pipe Specifications: 1 piece 2-inch pipe 10 feet long; 4 pieces $1\frac{1}{2}$ -inch pipe 8 feet 3 inches

long. Weight for shipment 162 pounds. Code ESXKD.

No. J-475 Four Unit Combination Outfit is 8 feet high and 14 feet long. Apparatus is 1 B-205 flying rings; 1 X-211 trapeze; and 2 S-200 swings. All units are equipped with 8-o lock weave galvanized steel chain suspensions and ball bearing clamps. Outfit is set on ground boards which are anchored to the ground at each end.

No. J-475 Four Unit Combination Outfit complete, no pipe. Weight packed for shipment 185 pounds. Code ESOLD. Pipe Specifications: 1 piece 2-inch pipe 14 feet long; 4 pieces $1\frac{1}{2}$ -inch pipe 8 feet 3 inches long. Shipping weight 200 pounds. Code EGVEK.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



UNITS FOR COMBINATION OUTFITS

All units shown are of steel galvanized. Chain suspensions are 8-6 lock weave galvanized steel chain equipped with drop forged steel "S" safety hooks and ball bearing hanger clamps, except the flexible ladder and climbing pole, which do not require such a top bearing. The flexible ladder is assembled with steel long link suspensions.

No. IPC-14 1 pair inclined Steel Poles for 14-foot frame. Weight for shipment 140 pounds. Code ESIRD.

No. VPC-17 Vertical Steel Sliding Pole for 14-foot frame. Shipping weight 60 lbs. Code ESHSD.

No. IL-14 Inclined Steel Ladder for 14-foot frame. Weight for shipment 150 pounds. Code ESGTD.

No. BA-6 1 pair Safety Guards for inclined poles. Weight for shipment 35 pounds. Code ESFUD.

No. AB-32 1 set of Safety Guards for vertical sliding pole. Weight for shipment 25 pounds. Code ESEVD.

Note: The above include all necessary mounting clamps and ground anchors.

No. B-209 Steel Flexible Ladder with hanger clamps and ground anchors. Weight packed for shipment 60 pounds. Code ESDWD.


No. B-212 Steel Climbing Pole with hanger clamp and ground anchor. Weight for shipment 40 pounds. Code ESCXD.

No. B-205 Flying Rings with ball bearing hangers. Weight packed for shipment 18 pounds. Code ESBYD.

No. B-207 Traveling Ring with ball bearing hangers. Ordinarily used in sets of six. See outfit No. E-800 on page 22. Weight packed for shipment 9 pounds. Code ESAZD.

No. B-211 Steel Trapeze with ball bearing hangers. Weight for shipment 20 pounds. Code EPZAE.

Note: Please refer to page 40 for detailed description of the new, patent applied for, lubricated ball bearing hanger clamps.



JUNIOR COMBINATIONS

No. X-125 Combination Outfit complete, no pipe. Weight packed for shipment 700 pounds. Pipe weight for shipment 324 pounds. Outfit is 8 feet high and 20 feet long over all. Code EGUFK.

APPARATUS

- 2 S-200 Swings
- 1 B-205 Flying Rings
- 1 X-211 Trapeze
- 1 B-189 Slide
- 1 A-136 See-Saw

FITTINGS

- 1 C-48 End Tripod
- 1 C-49 Center Trestle
- 1 A-11 Elbow
- 1 X-24 Single Brace Clamp
- 1 G-2 Ground Flange
- 5 G-1 Ground Flanges

PIPE SPECIFICATIONS

- 1 piece 2 -inch pipe 16 feet long
- 5 pieces 1½-inch pipe 10½ feet long
- 1 piece 2 -inch pipe 3½ feet long
- 1 piece 2 -inch pipe 1½ feet long

No. X-130 Combination Outfit complete, no pipe. Weight packed for shipment 715 pounds. Pipe weight for shipment 339 pounds. Outfit is 8 feet high and 25 feet 6 inches long over all. Code EGTGK.

APPARATUS

- 1 S-200 Swing
- 1 X-211 Trapeze
- 1 B-205 Flying Rings
- 1 Special AB-31 Horizontal Bar (4 feet long)
- 1 B-189 Slide
- 1 A-136 See-Saw


FITTINGS

- 1 C-48 End Tripod
- 2 F-3 Tees
- 1 X-7 Double Brace Clamp
- 1 X-24 Single Brace Clamp
- 1 A-11 Elbow
- 3 G-2 Ground Flanges
- 5 G-1 Ground Flanges

PIPE SPECIFICATIONS

- 1 piece 2 -inch pipe 18 feet long
- 3 pieces 1½-inch pipe 10½ feet long
- 2 pieces 2 -inch pipe 10 feet long
- 2 pieces 1½-inch pipe 10 feet long
- 1 piece 2 -inch pipe 3½ feet long
- 1 piece 2 -inch pipe 1½ feet long

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



JUNIOR COMBINATIONS

No. J-480 Combination Outfit complete, no pipe. Weight packed for shipment 145 pounds. Code EPWDE.

Pipe weight for shipment 200 pounds. Outfit is 8 feet high and 14 feet long over all.

APPARATUS	FRAME FITTINGS
1 S-200 Chain Swing	2 C-42 Trestle Fittings
1 B-205 Pair Flying Rings	
1 X-211 Steel Trapeze	

PIPE SPECIFICATIONS

1 piece 2 -inch pipe 12 feet long
4 pieces 1½-inch pipe 10½ feet long


No. J-485 Combination Outfit complete, no pipe. Weight packed for shipment 175 pounds. Code EPVEE.

Pipe weight for shipment 200 pounds. Outfit is 8 feet high and 14 feet long over all.


APPARATUS	FRAME FITTINGS
1 S-200 Chain Swing	2 C-42 Trestle Fittings
1 K-201 Chair Seat Swing	
1 K-42 Baby Hammock Swing	

PIPE SPECIFICATIONS

1 piece 2 -inch pipe 12 feet long
4 pieces 1½-inch pipe 10½ feet long



X-129



X-127



JUNIOR COMBINATIONS

No. X-129 Combination Outfit complete, no pipe. Weight packed for shipment 150 pounds. Code EGSHK. Pipe weight for shipment 300 pounds. Outfit is 10 feet high and 12 feet long.

APPARATUS

1 B-205 Flying Rings 1 S-200 Swing
1 X-211 Trapeze

FITTINGS

2 A-13 Elbows 2 G-3 Ground Flanges

PIPE SPECIFICATIONS

3 pieces 3-inch pipe 12 feet long

No. X-127 Combination Outfit complete, no pipe. Weight packed for shipment 200 pounds. Code EGRIK. Pipe weight for shipment 375 pounds. Outfit is 10 feet high and 19 feet long.

APPARATUS

1 Special AB-31 Horizontal Bar (4 feet long)
1 B-205 Flying Rings 1 X-211 Trapeze
1 S-200 Swing 1 A-136 See-Saw


FITTINGS

2 A-13 Elbows 1 A-11 Elbow
1 F-4 Tee 3 G-3 Ground Flanges
1 G-3 Ground Flange

PIPE SPECIFICATIONS

3 pieces 3-inch pipe 12 feet long
1 piece 3-inch pipe 10 feet long
1 piece 2-inch pipe 3 feet long
1 piece 2-inch pipe 3½ feet long

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



SENIOR COMBINATION

No. E-900 Combination Outfit complete, no pipe. Weight packed for shipment 380 pounds.
Code EPUFL

Pipe weight for shipment 876 pounds. Outfit is 14 feet high, 35 feet long at top and 50 feet long over all.

APPARATUS


- 3 E-200 Long Link Swings
- 1 AB-31 Steel Horizontal Bar
- 1 B-209 Steel Flexible Ladder
- 1 B-212 Steel Climbing Pole
- 1 B-205 Pair Flying Rings

FRAME FITTINGS

- 2 C-28 End Fittings
- 1 F-4 Single Tee
- 1 F-10 Tee Clamp
- 1 E-7 Double Brace Clamp
- 10 G-2 Ground Flanges

PIPE SPECIFICATIONS

- 1 piece 3-inch pipe 20 feet long
- 1 piece 3-inch pipe 15 feet long
- 6 pieces 2-inch pipe 17 feet long
- 4 pieces 2-inch pipe 16 feet long



SENIOR COMBINATION

No. E-905 Combination Outfit complete, no pipe. Weight packed for shipment 610 pounds.
Code EPTGE.

Pipe weight for shipment 710 pounds. Outfit is 14 feet long, 30 feet long at top and 37½ feet long over all.

APPARATUS

- 1 AB-31 Steel Horizontal Bar
- 1 B-209 Steel Flexible Ladder
- 1 B-212 Steel Climbing Pole
- 1 B-213 Climbing Rope
- 2 B-205 Pairs Flying Rings
- 1 IL-14 Inclined Steel Ladder
- 1 IP-14 Pair Inclined Sliding Poles
- 1 BA-6 Pair Safety Guards
- 1 B-211 Steel Trapeze


FRAME FITTINGS

- 1 C-28 End Fitting
- 1 F-4 Single Tee
- 1 F-10 Tee Clamp
- 1 A-14 Single Elbow
- 1 X-7 Double Brace
- 8 G-2 Ground Flanges

PIPE SPECIFICATIONS

- 2 pieces 3-inch pipe 15 feet long
- 5 pieces 2-inch pipe 16 feet long
- 3 pieces 2-inch pipe 17 feet long

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



SENIOR COMBINATION

No. E-915 Combination Outfit complete, no pipe. Weight packed for shipment 375 pounds. Code EPSHE.

Pipe weight for shipment 716 pounds. Outfit is 14 feet high, 30 feet long at top and 45 feet long over all.

APPARATUS

- 3 E-200 Long Link Swings
- 1 B-209 Flexible Climbing Ladder
- 1 B-212 Climbing Pole
- 2 B-205 Pairs Flying Rings

FRAME FITTINGS

- 2 C-28 End Fittings
- 1 C-29 Center Fitting
- 8 G-2 Ground Flanges

PIPE SPECIFICATIONS

- 2 pieces 3-inch pipe 15 feet long
- 8 pieces 2-inch pipe 17 feet long

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



SENIOR COMBINATION

No. E-950 Combination Outfit complete, no pipe. Weight packed for shipment 1,100 pounds.
Code EPRIE.

Pipe weight for shipment 1,165 pounds. Outfit is 14 feet high, 43 feet long at top and 50½ feet long over all.

APPARATUS

- 1 B-307 Long Chute
- 1 B-307 Tread Stairs for Chute
- 3 E-200 Long Link Swings
- 2 AB-31 Steel Horizontal Bars
- 1 B-205 Pair Flying Rings
- 1 B-211 Steel Trapeze
- 1 B-212 Steel Climbing Pole

FRAME FITTINGS


- 1 C-28 End Fitting
- 1 C-29 Center Fitting
- 2 F-4 Single Tees
- 1 F-10 Tee Clamp
- 2 E-7 Double Brace Clamps
- 12 G-2 Ground Flanges

PIPE SPECIFICATIONS

- | | |
|----------------------------------|-----------------------------------|
| 1 piece 3-inch pipe 16 feet long | 5 pieces 2-inch pipe 17 feet long |
| 1 piece 3-inch pipe 15 feet long | 7 pieces 2-inch pipe 16 feet long |
| 1 piece 3-inch pipe 12 feet long | |



THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



EverWear Patented Frame Fittings

(Patented, 1263249)



The heart of the whole subject of safety in playground apparatus is found in the details of its construction. An inclined board can be a slide; a clothes line rope can be a swing; but one gets in safety and value just about what one is willing to pay for, since the miraculous days of getting something for nothing are past.

Safety in playground apparatus, therefore, is dependent upon the details of its construction and EverWear in particular is favorably noted for the positive safety of its outfits.

Frame Fittings are the vital parts of swing and traveling ring outfits, large frame slides, see-saws, teeter ladders, and large gymnasium combinations. The safety of the entire structure is dependent upon them.

EverWear, Patented, Double Compression toothed "dog", heavy, one piece, malleable iron, Cadmium

plated frame fittings are easily the safest and most durable fitting made for playground apparatus. The double compression toothed "dogs" bite into the frame pipe and hang on with a breakless grip.

Outfits using EverWear fittings are easier to erect than with any other make of fittings. This fact makes it understandable why, in spite of a greater first cost, EverWear outfits finally represent a smaller investment. *It should always be borne in mind that the cost of an outfit is not computable until it is up and ready for use.*

Our claims for EverWear fittings are that they are safest, easiest to erect, most simple, most positive, most rigid, strongest, cheapest in the long run. Ask for our booklet, "Really Now, Why is EverWear Playground Apparatus the Best Regardless of Price?"

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO

EverWear Frame Fittings

(Patented, 1263249)

EverWear patented, double compression toothed "dog" frame fittings are the best, safest, and easiest to erect, of any fittings offered for this purpose.



No. C-28 Combination End Fitting, 3-inch pipe beam, 2-inch pipe uprights. Code EPOLE.

No. C-48, same for 2-inch beam and 1½-inch uprights. Code EPNME.



No. C-29 Combination Center Fitting, 3-inch pipe beam, 2-inch pipe uprights. Code EPMNE.

No. C-49, same for 2-inch beam and 1½-inch uprights. Code EPLOE.



No. C-11 Combination Center Fitting, 3-inch pipe beam, 1½-inch uprights, designed for small swing outfits. Code EPKPE.



No. C-12 Combination End Fitting, 3-inch pipe beam, 1½-inch uprights, designed for small swing outfits. Code EPJQE.

No. C-42, same for 2-inch beam and 1½-inch uprights. Code EPIRE.



No. A-13 Single Elbow for 3-inch pipe. Code EPHSE.

No. A-14 Single Elbow for 3-inch top pipe, 2-inch pipe upright. Code EPGTE.

No. A-11 Single Elbow for 2-inch pipe. Code EPFUE.



No. A-29 Hinge Plate fitting for platform to attach slide chute. Code EGQJK.



No. A-19M Hinge Plate fitting attached to slide chute. Code EGPKK.




No. F-6 Single Tee for 3-inch pipe. Code EBYBF.

No. F-4 Single Tee for 3-inch top pipe, 2-inch pipe upright. Code EBXCF.

No. F-3 Single Tee for 2-inch pipe. Code EBWDF.



No. F-10 Tee Clamp, 2-inch pipe clamp, 3-inch pipe outlet. Code EBVFF.



No. X-1 Single Brace Clamp, to clamp 3-inch upright and receive either a 1½-inch or 2-inch brace connection. Complete with plug. Code EPEVE.

No. X-2, same for 2-inch upright. Code EPDWE.

No. X-17, same for 1½-inch upright. Code EPCXD.

No. X-24, same for 1½-inch upright. Code EPBYD.



EverWear fittings easiest to erect. Assemble outfit on side on ground. No heavy pipes to handle in air.



No. X-6 Double Brace Clamp, to clamp 3-inch upright and receive two brace connections of either 1½-inch or 2-inch pipe. Complete with two plugs. Code EPAZD.

No. X-7, same for 2-inch upright. Code EBZAF.



No. X-45A Adjustable foot flange for 1¼-inch pipe leg. Code EGOLK.

No. X-45B Adjustable foot flange for 1½-inch pipe leg. Code EGNMK.


No. X-45C Adjustable foot flange for 2-inch pipe leg. Code EGMNK.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO

EverWear Frame Fittings

(Patented, 1263249)

Every desirable, and almost every conceivable arrangement of pipe for playground apparatus purposes is possible with EverWear patented fittings.



No. B-5 Horizontal Bar Hinged Clamp, to clamp $1\frac{1}{4}$ -inch steel bar to 2-inch upright. Code EBQJF.

No. B-6, same for 3-inch upright. Code EBPKE.



No. F-12 Tee Clamp for attaching 3-inch horizontal beam to 2-inch upright. Code EBOLF.

No. F-16 Tee Clamp for 3-inch pipe both ways. Code EBNMF.




No. B-11 Clamp for Climbing Ropes, Flexible Ladders, 3-inch pipe. Code EBMNF.




No. D-16 Horizontal Bar Clamp, adjustable for $1\frac{1}{4}$ -inch steel bar, 3-inch upright. Code EBLOF.

No. B-17, same for 2-inch upright. Code EBPKE.



No. C-2 Roller Clamp for attaching swings, rings, etc., to wood beam. Code EBJQF.



No. Z-9 Six Suspension Head for Ocean Wave and Merry-Wave-Stride. Code EGLOK.

No. Z-14 Ten Suspension Head for Ocean Wave and Merry-Wave-Stride. Code EBIRF.



No. B-50 Eight Ladder Giant Stride Pivot Head for steel or wood post. Code EBHSF.

No. S-50, same for six ladders. Code EBGTF.



No. T-1 One piece, Malleable Iron, Teeter Board Handle. Code EBFUF.



Base Flanges

No. G-0 for $1\frac{1}{4}$ -inch pipe. Code EGKPK.

No. G-1, for $1\frac{1}{2}$ -inch pipe. Code EBEVF.

No. G-2, for 2-inch pipe. Code EBDWF.

No. G-3, for 3-inch pipe. Code EBCXF.

No. G-4, for 4-inch pipe. Code EBBYF.



No. X-18 Adjustable Teeter Fulcrum for 2-inch pipe with clamp chain, and bolts. Code EDTGS.

No. E-18 Pair Notched Teeter Fulcrum casting only for 2-inch pipe. Code EBAZF.

No. X-8 Adjustable Teeter Fulcrum for 3-inch pipe with clamp chain, and bolts. Code EDSHS.

No. X-30 New Adjustable and Non-removable Fulcrum for 2-inch pipe. For illustration see page 19. Code EDEVS.



EverWear fittings easiest to erect. Six or eight men, in two minutes, raise the frame, chug it in holes and the job is done.




No. X-9 Hinge Teeter Fulcrum, with bolts, for 3-inch pipe. Code ECXCG.




No. R-8 Drop Forged Steel "S" Safety Hook, used wherever suspensions are to be attached to fittings. Code ECYBG.

THE EVERWEAR MANUFACTURING COMPANY SPRINGFIELD OHIO



SECTION SIDE VIEW



SECTION END VIEW



FULL VIEW

BALL BEARING HANGER CLAMPS

(Patent applied for)

EverWear Ball Bearing Hanger Clamps mark the most advanced step ever made in this essential detail of playground apparatus. Heretofore, the objection to the use of ball bearings on the playground has been the fact that they could not be permanently lubricated and water and rust soon made them inoperative. In this EverWear Ball Bearing Hanger Clamp the two single race ball bearings, which are in each hanger, are dropped into a closed, grease filled pocket and are therefore sealed away from dirt and water and the grease prevents rust and gives permanent lubrication.

The entire clamp is simple in construction, easy and positive in its action, permanent in its safety. It is made of malleable iron and protected against rust by the Udylyte Cadmium process of rust proofing. This style of ball bearing clamp is supplied to fit only 3-inch and 2-inch pipe.

No. A-400 Ball Bearing Clamp fitting 3-inch pipe. Code ECWDG.

No. A-403 Ball Bearing Clamp fitting 2-inch pipe. Code ECVEG.

No. B-401 Roller Bearing Clamp fitting 2½-inch pipe. Code ECUFG.

No. B-405 Roller Bearing Clamp fitting 4-inch pipe. Code ECTGG.

No. B-406 Roller Bearing Clamp fitting 6-inch pipe. Code ECSHG.

No. C-33 Extra Heavy Roller Bearing Clamp for Teeter Ladders and Log Swing. Code ECRIG.

No. C-2 Roller Bearing Clamp for attaching swings, rings, trapeze, etc., to wood beam. Code EBJQF.



THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



Important Details of EverWear Water Apparatus

In keeping with the other splendid items of EverWear, we take a pardonable pride in presenting, to those interested in water amusements, a line of water apparatus which will prove most attractive to those who frequent their bathing places. All items carry the full EverWear Guaranty of quality, safety and durability.

TYPES

The EverWear line of water apparatus consists of water slides of all types and sizes, Poised Safety Swing Diving Outfit, Spring Boards and ladders and stairs for landing purposes.

INSTALLATION

The installation of the various types of EverWear outfits is never difficult. The various parts fit their respective places and the only warning necessary is to see that all bolts are tightened securely.

INFORMATION REQUIRED

It is desirable for us to know as much about your local physical conditions as is possible, so that we can advise as to the proper method of procedure. Please therefore give us all the data possible, with measurements, depth of water, etc., where the various outfits are to be placed.

DEPTH OF WATER

We advise the erection of slides and diving outfit in water not exceeding 4 feet in depth. This prevents accident to those who cannot swim. Water slides for children's use should be placed in shallower water.

SLIDE STAIR CONSTRUCTION

EverWear water stairs are all equipped with corrugated—can't slip—hard wooden treads, painted. The treads are 20 inches wide and are supported by special, full width, malleable iron, UdyLite Cadmium processed step supports of rugged construction. These are attached to the $1\frac{1}{4}$ -inch (inside measurement) pipe step rails. Hand guard rails of $\frac{3}{4}$ -inch pipe give a continuous, rigid, safe hand hold at all times. The hand rails are securely attached to the step rails. The stairs are attached to a malleable iron, UdyLite Cadmium processed, top equilibrium platform, except in the case of Pool, Racer and other platform slides, where the stairs are rigidly attached to the guard rails on the platform itself. Platforms on Pool, Racer, and other platform slides are made of 2-inch wood, strongly batted and painted with two coats of jade green paint.

CHUTE BEDWAYS

Chute bedways are furnished in rust proof metal and also in rust resisting, galvanized iron sheets. See price

list. The bedways are so attached to the side chute rails as to make a water tight chute.

SLIDE CHUTE CONSTRUCTION


EverWear water chutes are all 20 inches wide, inside measurement, which is ample to care for the largest adult. The side rails are made of clear, select, hard wood painted with two coats of jade green paint. The bedways are attached to the side rails by lag screws and reinforced by heavy battens. The edges of the metal bedways are bent up, tight to the outside of the side rails, making a water-tight joint. All chutes are equipped with a water flushing connection.

WATER SLIDE SIZES

EverWear Water Slides are made in either straight or wave styles and in standard lengths and heights as follows. Straight slides: 16-foot chute, 8 feet high; 20-foot chute, 10 feet high; 26-foot chute, 14 feet high. Wave Slides: 16-foot chute, 8 feet high; 20-foot chute, 10 feet high; 30-foot chute, 14 feet high.

SPECIAL SLIDES

Special slides of any width, height, or length desired are made on special order. Send us full information and drawing of location, giving all measurements, depth of water, slope of bank and description of surroundings. Indicate size of chute desired and we shall gladly submit estimate of cost.



Poised Safety Swing Diving Outfit

(Patented, 1731532)

This outfit was first introduced in 1927 and a large number were sold. Reports of operation have been universally satisfactory and bathers are most enthusiastic over the thrill which it furnishes.

The outfit is a swing suspended from a rigidly braced frame, and a water stair assembly, equipped with a top platform and trap which catches the swing seat, holding it until the bather assumes his position and presses on the foot lever.

The operation of the foot lever releases the trap which drops entirely out of the way, and the swing with the bather seated on it, starts its long and safely thrilling arc. If the bather desires he can dive on the first swing, but may stay on until the "old cat dies."

The swing seat is easily and quickly returned to the trap for the next user. The outfit is a unit, in that it is all tied together by ground boards, which we furnish, and which lie on the bottom of river, beach, or pool.

The outfit is designed to be installed in 4 feet of water


with the swinging motion toward water deep enough for safe diving.

The swing frame is 16 feet high above the ground boards. The stairs are 12 feet high to the top platform. The swing is equipped with extra heavy roller bearing clamps and the stiff pipe arm swing suspensions are cross braced to prevent any dangerous side sway. The stairs are equipped with can't slip wooden treads which are placed on malleable iron step supports. All metal parts are protected against rust by the Udylite Cadmium process of rust proofing.


No. D-600 Poised Safety Swing Diving Outfit complete, no pipe. Shipping weight 1,300 lbs. Code ECQJG.

PIPE SPECIFICATIONS

- 2 Pieces 3 -inch pipe 16 feet long
- 1 Piece 3 -inch pipe 6 feet long
- 2 Pieces 2 -inch pipe 14 feet long
- 2 Pieces 1½ -inch pipe 15½ feet long




Detail showing trap up and swing in diving position.



Detail showing trap down releasing swing for the dive.

- A- Diving Swing Seat
- B- Trap which drops releasing swing seat and diver.
- C- Foot trip to drop trap.
- D- Trap locking bar.
- E- Locking Bar Catch.
- F- Handle for raising trap under swing seat as it returns.
- G- Oscillating lever attached to stiff pipe arms of swing suspensions for returning swing seat to the trap.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



LAKE BOTTOM SLIDES

NATATORIUM SLIDES

LAKE BOTTOM SLIDES

Slides are always popular for bathing beaches and attract favorable attention and continuous use. Lake Bottom Slides are easily assembled and are strongly, rigidly braced to be set at any spot where

the bottom is nearly level. Slides should be placed so the user is projected into 4 feet of water and our standard outfits are designed to be placed in water of this depth. For details refer to page 41


NO.	DESCRIPTION	HEIGHT OF PLATFORM ABOVE WATER	WIDTH OF CHUTE INSIDE	LENGTH OF CHUTE	SHIPPING WEIGHT	CODE
W-607	Straight Lake Bottom Slide complete....	14'	20"	26'	815 lbs.	ECPKG
W-608	Straight Lake Bottom Slide complete....	10'	20"	20'	640 lbs.	ECOLG
W-609	Straight Lake Bottom Slide complete....	8'	20"	16'	485 lbs.	ECNMG
W-610	Wave Lake Bottom Slide complete....	14'	20"	30'	835 lbs.	ECMNG
W-611	Wave Lake Bottom Slide complete....	10'	20"	20'	660 lbs.	ECLOG
W-612	Wave Lake Bottom Slide complete....	8'	20"	16'	505 lbs.	ECXPG

NATATORIUM SLIDES

The great appeal that slides have for most bathers will popularize the natatorium as a place where real fun may be enjoyed. Ever-

Wear water slides are splendidly constructed and will last for an indefinite period of time. For general details refer to page 41.

NO.	DESCRIPTION	HEIGHT OF PLATFORM ABOVE WATER	WIDTH OF CHUTE INSIDE	LENGTH OF CHUTE	SHIPPING WEIGHT	CODE
W-619	Straight Natatorium Slide complete....	14'	20"	26'	705 lbs.	ECJQG
W-620	Straight Natatorium Slide complete....	10'	20"	20'	530 lbs.	ECIRG
W-621	Straight Natatorium Slide complete....	8'	20"	16'	390 lbs.	ECHSG
W-622	Wave Natatorium Slide complete....	14'	20"	30'	715 lbs.	ECGTG
W-623	Wave Natatorium Slide complete....	10'	20"	20'	555 lbs.	ECFUG
W-624	Wave Natatorium Slide complete....	8'	20"	16'	400 lbs.	ECFVG



POOL SLIDES

WATER RACER SLIDES

WATER RACER SLIDES

Water Racer Slides, where the chutes are placed at an angle, give opportunity for racing stunts which are real fun. The fact that the chutes are spread apart at the bottom relieves congestion at

the water end. These outfits should deliver the bather in about 4 feet of water. For general details please refer to page 41.

NO.	DESCRIPTION	HEIGHT OF PLATFORM ABOVE WATER	WIDTH OF CHUTE INSIDE	LENGTH OF CHUTE	SHIPPING WEIGHT	CODE
W-643	Straight Water Racer Slide complete....	14'	20"	26'	2015 lbs.	ECDWG
W-644	Straight Water Racer Slide complete....	10'	20"	20'	1590 lbs.	ECCXG
W-645	Straight Water Racer Slide complete....	8'	20"	16'	1280 lbs.	ECBYG
W-646	Wave Water Racer Slide complete....	14'	20"	30'	2040 lbs.	ECAZG
W-647	Wave Water Racer Slide complete....	10'	20"	20'	1620 lbs.	EXZAH
W-648	Wave Water Racer Slide complete....	8'	20"	16'	1310 lbs.	EXYBH

POOL SLIDES



The Pool Slide easily fits along the side walk around the pool and the chute, set at a slight angle, delivers the bather into the water.

This is a most desirable outfit for swimming pool, and will be used continuously. For general details please refer to page 41.


NO.	DESCRIPTION	HEIGHT OF PLATFORM ABOVE WATER	WIDTH OF CHUTE INSIDE	LENGTH OF CHUTE	SHIPPING WEIGHT	CODE
W-625	Straight Pool Slides complete.....	14'	20"	26'	1255 lbs.	EXXCH
W-626	Straight Pool Slides complete.....	10'	20"	20'	990 lbs.	EXWDH
W-627	Straight Pool Slides complete.....	8'	20"	16'	590 lbs.	EXVEH
W-628	Wave Pool Slides complete.....	14'	20"	30'	1275 lbs.	EXUFH
W-629	Wave Pool Slides complete.....	10'	20"	20'	1010 lbs.	EXTGH
W-630	Wave Pool Slides complete.....	8'	20"	16'	610 lbs.	EXSHH



THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO



No. W-661 Water Flushing Connection, attached to and a part of all Water Chutes.



STANDARD SPRING BOARD


The new EverWear Spring Board is made of well seasoned, clear, long grained hickory wood and is tapered from a thickness of 2 inches at the anchor end to a thickness of $1\frac{1}{4}$ inches at the diving end.

The Spring Board is made by assembling 5 narrower boards which are laid side by side and are rigidly held in position by metal battens. The fulcrum allows for movement of the board thus insuring that the spring of board is continuous throughout its entire length. The fulcrum is equipped with spring "shock absorbers" which merely cushion the rebound

and have nothing to do with the spring of the board itself.

The Spring Board is 12 feet long, 22 inches wide and is covered with cocoa matting which prevents slipping. Spring Board base and anchors are designed to be imbedded either in the concrete floor or bolted to the wooden floor, which ever local conditions make necessary.

No. X-662 Spring Board complete. Weight packed for shipment 180 pounds. Code EGJQK.



LANDING STAIRS and LADDERS

EverWear Landing Stairs and Ladders are strong and rigidly made. The step rails are $1\frac{1}{4}$ -inch (inside measurement) galvanized steel pipe. The treads are corrugated—can't slip—hard wood, painted. The treads are 20 inches wide and are supported by special, full width, malleable iron, Udylite Cadmium processed step supports of rugged construction. Landing stairs are set at an angle of 62 degrees and are provided with a rigid hand guard rail, which extends from the bottom, up and over the top in a neat circle finish. The landing ladders are set vertical and are attached to the side and top edge of the pool. When determining the length of stairs or ladders required, measure from the top edge of side of pool, directly down to the bottom of the pool, and give us the measurement. This will make certain that they will fit.

CODE WORDS: WL-1, EPSHT. WL-2, EPRIT. WL-3, EPQJT. WL-4, EPPKT. WL-5, EPOLT. WL-6, EPNMT. WL-7, EPMNT. WL-8, EPLDT. WL-9, EPKPT. WL-10, EPJQT. WL-11, EPIRT. WL-12, EPHST. WL-13, EPGTT. WL-14, EPFUT. WL-15, EPEVT. WL-16, EPDWT. WL-17, EPCXT. WL-18, EBYT. WL-19, EPAZT. WL-20, EDZAS. WL-21, EDYBS. WL-22, EDXCS. WL-23, EDWDS. WL-24, EDVES.

DOUBLE LANDING STAIRS
No. WL-1, Pool 4 feet deep. Shipping weight 103 lbs.
No. WL-2, Pool 5 feet deep. Shipping weight 113 lbs.
No. WL-3, Pool 6 feet deep. Shipping weight 123 lbs.
No. WL-4, Pool 7 feet deep. Shipping weight 133 lbs.
No. WL-5, Pool 8 feet deep. Shipping weight 143 lbs.
No. WL-6, Pool 9 feet deep. Shipping weight 155 lbs.

SINGLE LANDING STAIRS
No. WL-7, Pool 4 feet deep. Shipping weight 81 lbs.
No. WL-8, Pool 5 feet deep. Shipping weight 91 lbs.
No. WL-9, Pool 6 feet deep. Shipping weight 101 lbs.
No. WL-10, Pool 7 feet deep. Shipping weight 111 lbs.
No. WL-11, Pool 8 feet deep. Shipping weight 121 lbs.
No. WL-12, Pool 9 feet deep. Shipping weight 131 lbs.

DOUBLE LANDING LADDER
No. WL-13, Pool 4 feet deep. Shipping weight 150 lbs.
No. WL-14, Pool 5 feet deep. Shipping weight 162 lbs.
No. WL-15, Pool 6 feet deep. Shipping weight 174 lbs.
No. WL-16, Pool 7 feet deep. Shipping weight 186 lbs.
No. WL-17, Pool 8 feet deep. Shipping weight 198 lbs.
No. WL-18, Pool 9 feet deep. Shipping weight 210 lbs.

SINGLE LANDING LADDER
No. WL-19, Pool 4 feet deep. Shipping weight 95 lbs.
No. WL-20, Pool 5 feet deep. Shipping weight 107 lbs.
No. WL-21, Pool 6 feet deep. Shipping weight 119 lbs.
No. WL-22, Pool 7 feet deep. Shipping weight 131 lbs.
No. WL-23, Pool 8 feet deep. Shipping weight 143 lbs.
No. WL-24, Pool 9 feet deep. Shipping weight 155 lbs.

THE · EVERWEAR · MANUFACTURING · COMPANY · SPRINGFIELD · OHIO

Installation of EverWear Playground Apparatus

This table will be found reliable only when EverWear erection sheets and instructions are followed.
Materials, Total Labor, and Number of Men Required.

Note: The number of sacks of cement, yards of gravel, labor hours, and number of men required is based on normal conditions of easy excavation in solid ground. Sand, loose gravel, and rock conditions will cause these estimates to vary. In fact, under such conditions, no estimate could be given in advance of the actual work.

Page	Outfit	Portable or Fixed	Sacks Cement	Yards Gravel	Labor Hours	Men Required
3	X-190 Slide	Portable			1/2	1
4	X-179 and X-183 Slides	Portable			1	2
5	B-189 and B-193 Slides	Portable			1	2
6	B-191 and B-194 Slides	Fixed	1 1/4	1 1/4	4	2
7	B-307 and B-308 Slides	Fixed	1 1/2	3 3/8	6	3
8-9	X-160 and X-161 Slides	Fixed	4 3/4	1 1/3	12	3
8-9	X-162 and X-163 Slides	Fixed	9	2	24	5
8-9	X-164 and X-165 Slides	Fixed	10	2 1/4	28	5
10	All Giant Strides	Fixed	3	2 3/8	6	2
11	X-225 Merry-Wave-Stride	Fixed	3	2 3/8	9	3
12	X-503 Merry-Go-Round	Portable			8	2
13	M-555 Whirling Climb	Fixed	3	2 3/8	14	2
14	B-210 Ocean Wave	Fixed	9	2	14	2
16	B-200, B-200-R, A-200, A-200-R	Fixed	6	1 1/4	30	6
16	H-200, H-200-R, J-200, J-200-R	Fixed	4 1/2	1	15	4
16	F-200, F-200-R, C-200, C-200-R	Fixed	3	2 3/8	9	3
17	J-300 Swings	Fixed	9	2	35	5
17	K-300 Swings	Fixed	7 1/2	1 2/3	30	5
17	L-300 Swings	Fixed	6	1 1/4	28	5
17	M-300 Swings	Fixed	4 1/2	1	15	4
18	K-114 Swings	Fixed	4 1/2	1	15	4
18	K-115 and K-116 Swings	Fixed	3	2 3/8	9	3
19	C-137 See-Saw	Fixed	1 1/2	1 3/8	6	2
19	A-138 See-Saw	Portable			6	2
19	C-139 See-Saw	Fixed	1 1/8	1/4	4	2
19	B-135 See-Saw	Portable			1/2	1
20	X-304 Horizontal Ladder	Fixed	2 1/4	1 1/2	8	2
20	B-310 and B-315 B. B. Stops	Fixed	2 1/4	1 1/2	8	2
21	A-240 Log Swing	Fixed	6 3/4	1 1/2	12	3
22	B-155 Teeter Ladder	Fixed	1 1/8	1 1/4	4	2
22	B-157 Teeter Ladder	Fixed	2 1/4	1 1/2	8	2
22	AB-90 Horizontal Bar	Fixed	1 1/8	1/4	6	2
23	AB-40 and AB-44 Parallel Bars	Fixed	3 3/8	3/4	8	2
23	AC-91 Horse	Fixed	3	2 3/8	6	2
23	AC-92 Buck	Fixed	1 1/2	1 3/8	4	2
26	E-800 Traveling Rings	Fixed	6	1 1/4	30	6
26	B-250 Traveling Rings	Fixed	3	2 3/8	15	5
28	J-471, J-472, J-475	Portable			2	2
30	X-125 Combination	Fixed	4 1/2	1	9	2
30	X-130 Combination	Fixed	6	1 1/4	15	2
31	J-480 and J-485 Combinations	Fixed	3	2 3/8	10	2
32	X-127 Combination	Fixed	3	2 3/8	10	2
32	X-129 Combination	Fixed	1 1/2	1 3/8	8	2
33	E-900 Combination	Fixed	9	2	36	5
34	E-905 Combination	Fixed	9	2	40	5
35	E-915 Combination	Fixed	6 3/4	1 1/2	35	5
36	E-950 Combination	Fixed	10 1/4	2 3/8	48	5

Note: We make no estimate for installation of Water Apparatus as local conditions vary greatly. Water outfits found on pages 41 to 46, inclusive.

GENERAL INFORMATION

PRICES—All outfits are kept in stock and prompt shipment can be made. In the price list we price most of the outfits "complete;" others are priced "no pipe" or "no post." This makes it possible to buy pipe locally if desired. Due to possible changes in cost of raw materials, prices are subject to change, without notice.

PIPE—In speaking of pipe sizes, we refer to the inside diameter of the pipe. We use and furnish standard, full weight, galvanized steel pipe only and advise the use of no other kind.

FITTINGS—See full line of EverWear Patented fittings on pages 38, 39 and 40 of this catalog.

ERECTION OF OUTFITS—The billing for all shipments contains complete erection instructions.

TERMS—To parties who are known to us, or of established credit, a term of 30 days is extended. Shipments will be made C.O.D. to parties unknown to us where a remittance sufficient to cover twice the cost of carriage accompanies the order. Cost of shipment and collection charges to be paid by the purchaser in all cases.

SHIPPING—All goods are priced F.O.B. Springfield, Ohio, U. S. A. Give full and plain directions for forwarding goods and designate shipping route, if there is any preference. Where no preference is indicated shipment will be made by the safest and most direct route. We do not guarantee weights packed for shipment as shown in this catalog; they are given merely to aid the purchaser in approximating the cost of transportation to destination.

RUST PROOFING


The metal parts of all EverWear outfits are protected against rust by two processes. 1st. All exposed metal fittings and parts are coated with cadmium by the Udyllite patented process. 2nd. All pipes and sheets are hot galvanized by the rolling mill and come to us finished. A comparison of the effectiveness of the various processes of rustproofing metal gives the following table prepared by the Underwriters' Laboratories, using the U. S. Bureau of Standards salt spray test. It will be noted that we are using two of the best processes known for the protection of our product against rust.

Process	Hours	Result
Udyllite Cadmium.....	1,860.....	No Rust
Hot Galvanizing.....	650.....	Rust
Sherardizing.....	367.....	Rust
Electro-Galvanizing.....	316.....	Rust
Standard Nickel.....	2.....	Rust

INDEX

Outfit	Page
Basket Ball Backstops.....	20
Climbing Pole.....	29
Combination Outfits.....	29, 30, 31, 32, 33, 34, 35, 36
Diving Outfit.....	42
Fittings.....	37, 38, 39, 40
Flag Staffs.....	27
Flexible Ladder.....	29
Giant Strides.....	10
Home Outfits.....	24, 25
Horizontal Bar.....	22
Horizontal Ladder.....	20
Inclined Poles.....	29
Installation Table.....	47
Jump Standards.....	22
Junior Outfits.....	28, 30, 31, 32
Kindergarten Outfits.....	3, 18, 24, 25, 28
Landing Ladders.....	46
Landing Stairs.....	46
Log Swing.....	21
Mats.....	23
Merry-Go-Round.....	12
Merry-Wave-Stride.....	11
Ocean Wave.....	14
Parallel Bars.....	23
Rings.....	29
Rock-A-Bye Swing.....	21
See-Saws.....	19
Senior Combinations.....	29, 33, 34, 35, 36
Slides.....	3, 4, 5, 6, 7, 8, 9, 43, 44
Spring Board.....	45
Swings.....	15, 16, 17, 18
Teeter Ladders.....	22
Tennis Posts.....	20
Trapeze.....	29
Traveling Rings.....	26
Vaulting Buck.....	23
Vaulting Horse.....	23
Vaulting Standards.....	22
Vertical Pole.....	29
Volley Ball Posts.....	20
Water Apparatus Details.....	41
Water Slides.....	43, 44
Whirling Climb.....	13

Special Combination Outfits are easily made by using the large variety and types of EverWear patented fittings. Ask for special service in designing what you may want. Any type of outfit, including specially large slides, are made to order. Write us about your requirements.



LAYOUT No. 4

No. APPARATUS PAGE

BOY'S PLAYGROUND

X-225	MERRY-WAVE-STRIDE	11
AB-92	BUCK	23
AB-91	HORSE	23
AB-44	PARALLEL BARS	23
E-905	COMBINATION	34
B-155	TEETER LADDER	22
X-164	WAVE RACER SLIDE	8-9
B-200	6 SWING OUTFIT	16
K-114	CHAIR SEAT SWINGS	18
X-304	HORIZONTAL LADDER	20
X-503	MERRY-GO-ROUND	12
C-137	SEE-SAWS	19
M-555	WHIRLING CLIMB	13
B-189	SLIDE	5

GIRL'S PLAYGROUND

AB-0	GIANT STRIDE	10
AB-90	HORIZONTAL BAR	22
B-155	TEETER LADDER	22
E-915	COMBINATION	35
X-240	LOG SWING	21
X-165	STRAIGHT RACER SLIDE	8-9
B-200	6 SWING OUTFIT	16
K-114	CHAIR SEAT SWINGS	18
X-304	HORIZONTAL LADDER	20
X-503	MERRY-GO-ROUND	12
C-137	SEE-SAWS	19
M-555	WHIRLING CLIMB	13
B-193	SLIDE	5

GENERAL APPARATUS

2	30 FOOT FLAG STAFF	27
2	B-187 TENNIS POSTS	20
B-310	BASKET BALL BACK STOPS	20
B-186	VOLLEY BALL POSTS	20

NOTE

TREES AND SHRUBBERY ADD MUCH TO BEAUTY AND UTILITY OF THE PLAYGROUND. WADING POOLS, COMFORT STATIONS AND SHELTER HOUSE ARE ALSO FINE. SUPERVISION IS ADVISABLE.



EverWear

Playground and Water Apparatus

Catalog No. 22

PLEASE EXTEND PRICES ON YOUR ORDERS

EFFECTIVE MARCH 15, 1930
THIS LIST CANCELS ALL PREVIOUS PRICES

NET PRICE LIST
Applying to Catalog No. 22

EverWear
PLAYGROUND AND
WATER APPARATUS

¶ All orders and contracts are subject to acceptance at Springfield, Ohio, and are contingent upon strikes, accidents or other causes beyond our control. Clerical errors are subject to correction.

¶ We are not responsible for delays in transit and our terms are not to be affected by such delays.

TERMS: 30 DAYS NET, F. O. B. FACTORY



The Everwear Manufacturing Co.
Springfield, Ohio, U. S. A.

Printed in the U. S. A.

69404

PLEASE EXTEND PRICES ON YOUR ORDERS



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>

Protect Your Investment

PLEASE READ

FOUR IMPORTANT SUGGESTIONS

1. Paint all wood parts of playground apparatus at least once each year. Oil bedways of all wood bedway chutes, both top and bottom, and allow oil to run in all joints and openings between bedway boards.
2. Lubricate all bearings at least once each year.
3. Inspect all galvanized pipes at ground level to ascertain if the ground water has corroded the pipe. If corrosion has set in, the pipe should be replaced with new.
4. When concreting pipes in ground, bring the concrete up above ground level. This will keep ground water away from the pipes and prevent corrosion.

These suggestions, if followed, will lengthen the life of your playground equipment and will increase the safety and satisfaction of daily use.

— :: —

PRICES OF PLAIN, UNTHREADED, GALVANIZED STEEL PIPE, PER FOOT, APPLICABLE TO THE EVERWEAR OUTFITS SHOWN OR FOR SPECIALS

All pipe sizes given are for the inside diameter of pipe. All EverWear fittings are made to fit the outside diameter of pipe.

These prices will enable you to figure costs on special combination outfits.

Sizes	Price per Foot	Weight per Foot
1½-inch pipe, per foot	\$0.35	2¾ lbs.
2-inch pipe, per foot45	3¾ lbs.
3-inch pipe, per foot85	7½ lbs.
4-inch pipe, per foot	1.50	10¾ lbs.

PRICES FOR CHAIN, PER FOOT

No. 8-0 Chain, Steel, Lock Weave, Galvanized12	½ lb.
No. 2 Chain, Steel, Lock Weave, Galvanized, for Flag Hoist05	1½ oz.

When ordering chain for flag hoist, double the height of staff above ground, less 5 feet.

We do not furnish rope for hoist.

Note: Please extend prices on your orders. This will eliminate much cause for correspondence and the liability of mistakes in shipping, since price extensions help us to understand your wishes fully.

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR PLAYGROUND APPARATUS				Price	Shipping Weight
2	No. X-101.	Slide, overhead Hand Guard Rail Attachment, each, complete.....			\$ 5.00	50 lb
2	No. AJ-54.	Removable Base, each, complete, to hold 1¼-inch pipe leg.....			3.50	12 lb
		SLIDES COMPLETE	Price Rust-Resisting Galvanized Bedways	Price Maple Bedways	Price Guaranteed Rust-Proof Bedways	Shipping Weight
3	No. X-190.	Kindergarten Slide, 8 ft. chute, portable, complete	\$ 30.00	\$ 35.00	45.00	180 lb
4	No. X-179.	Portable Stright Slide, 16 ft. chute, complete	70.00	75.00	108.00	410 lb
4	No. X-183.	Portable Wave Slide, 16 ft. chute, complete	79.00		118.00	410 lb
5	No. B-189.	Portable Stright Slide, 16 ft. chute, complete	80.00	85.00	120.00	440 lb
5	No. B-193.	Portable Wave Slide, 16 ft. chute, complete	90.00		130.00	480 lb
6	No. B-191.	Fixed Straight Slide, 20 ft. chute, complete	105.00	115.00	145.00	540 lb
6	No. B-191A.	Same Slide as above, equipped with removable bases	114.00	124.00	154.00	600 lb
6	No. B-194.	Fixed Wave Slide, 20 ft. chute, complete	115.00		155.00	540 lb
6	No. B-194A.	Same Slide as above, equipped with removable bases	124.00		164.00	600 lb
7	No. B-307.	Fixed Straight Slide, 26 ft. chute, complete	150.00	160.00	210.00	750 lb
7	No. B-307A.	Same Slide as above, equipped with removable bases	164.00	174.00	224.00	840 lb
7	No. B-308.	Fixed Wave Slide, 30 ft. chute, complete	173.00		235.00	750 lb
7	No. B-308A.	Same Slide as above, equipped with removable bases	187.00		249.00	840 lb
8-9	No. X-160.	Racer Slide, 2 16 ft. wave chutes, complete	230.00		295.00	950 lb
8-9	No. X-161.	Racer Slide, 2 16 ft. straight chutes, complete	210.00	220.00	285.00	950 lb
8-9	No. X-162.	Racer Slide, 2 20 ft. wave chutes, complete	270.00		350.00	1140 lb
8-9	No. X-163.	Racer Slide, 2 20 ft. straight chutes, complete	260.00	280.00	340.00	1140 lb
8-9	No. X-164.	Racer Slide, 2 30 ft. wave chutes, complete	380.00		505.00	1440 lb
8-9	No. X-165.	Racer Slide, 2 26 ft. straight chutes, complete	340.00	360.00	465.00	1440 lb
		SEPARATE PARTS—SLIDES				
3-9	No. X-190.	8 ft. Chute only	18.00	21.00	28.00	80 lbs
3-9	No. X-179.	16 ft. Chute only	35.00	40.00	73.00	225 lbs
3-9	No. X-183.	16 ft. Chute only	44.00		83.00	225 lbs
3-9	No. B-189.	16 ft. Chute only	42.00	47.00	80.00	225 lbs
3-9	No. B-193.	16 ft. Chute only	51.00		90.00	225 lbs
3-9	No. B-191.	20 ft. Chute only	65.00	75.00	100.00	290 lbs
3-9	No. B-194.	20 ft. Chute only	75.00		108.00	290 lbs
3-9	No. B-307.	26 ft. Chute only	90.00	99.00	152.00	365 lbs
3-9	No. B-308.	30 ft. Chute only	111.00		173.00	365 lbs
	NOTE: Prices on Chutes only include all leg braces and other supports, as shown in catalog, but no Stairs.					
3-9-38	No. A-19M.	Malleable iron plate connecting all sizes of chutes to steel stairs			Price 3.00	Weight Shipping 10 lbs
3-9	No. X-190.	Stairs only, 4½ ft. high			18.00	85 lbs
3-9	No. X-179 and X-183.	Stairs only, 8 ft. high			38.50	172 lbs
3-9	No. B-189 and B-193.	Stairs only, 8 ft. high			42.00	172 lbs
3-9	No. B-191 and B-194.	Stairs only, 10 ft. high			48.00	200 lbs
3-9	No. B-307 and B-308.	Stairs only, 14 ft. high			65.00	272 lbs
	Prices on Stairs only include all leg braces and other supports, as shown in catalog, but no Chutes.					

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR PLAYGROUND APPARATUS		Price	Shipping Weight
GIANT STRIDES				
10	No. AB-0.	8 Ladder Giant Stride, complete, no post.....	36.00	80 lbs.
10	No. AB-0P.	Post for B-0 outfit.....	24.00	175 lbs.
10	No. AS-0.	6 Ladder Giant Stride, complete, no post.....	29.00	70 lbs.
10	No. AS-0P.	Post for S-0 outfit.....	24.00	175 lbs.
10	No. AB-1.	8 Ladder Giant Stride, complete, no post.....	24.00	107 lbs.
10	No. AB-1P.	Post for B-1 outfit.....	24.00	175 lbs.
10	No. AS-1.	6 Ladder Giant Stride, complete, no post.....	19.00	97 lbs.
10	No. AS-1P.	Post for S-1 outfit.....	24.00	175 lbs.
10	No. AB-2.	8 Ladder Giant Stride, complete, no post.....	26.00	85 lbs.
10	No. AB-2P.	Post for B-2 outfit.....	24.00	175 lbs.
10	No. AS-2.	6 Ladder Giant Stride, complete, no post.....	21.00	71 lbs.
10	No. AS-2P.	Post for S-2 outfit.....	24.00	175 lbs.
10	No. AB-3.	8 Ladder Giant Stride, complete, no post.....	42.00	75 lbs.
10	No. AB-3P.	Post for B-3 outfit.....	24.00	175 lbs.
10	No. AS-3.	6 Ladder Giant Stride, complete, no post.....	30.00	64 lbs.
10	No. AS-3P.	Post for S-3 outfit.....	24.00	175 lbs.
10	No. J-430.	Everwear Junior Giant Stride, complete, no post.....	22.00	70 lbs.
10	No. J-430P.	Post for J-430 outfit	9.50	85 lbs.
SEPARATE PARTS—GIANT STRIDES				
10	No. B-50.	8 Ladder Giant Stride, pivot head only, for 4 inch steel or wood post.....	6.00	20 lbs.
10	No. S-50.	6 Ladder Giant Stride, pivot head only, for 4 inch steel or wood post.....	6.00	20 lbs.
10	No. A-50.	6 Ladder Junior Giant Stride, pivot head only, for 3 inch pipe post.....	6.00	20 lbs.
10	No. B-0 and S-0.	Ladder Handle only, with chain suspension.....	3.75	6 lbs.
10	No. B-1 and S-1.	Ladder Handle only, with chain suspension.....	2.75	9 lbs.
10	No. B-2 and S-2.	Ladder Handle only, with chain suspension.....	2.55	7 lbs.
10	No. B-3 and S-3.	Ladder Handle only, with chain suspension.....	4.50	5½ lbs.
10	No. J-430 H and S.	Junior Ladder Handle only, with suspension....	3.00	9 lbs.
NOTE: All Ladder Handles are attached to top pivot head with 8-0 galvanized steel chain by means of drop forged "S" Safety Hooks.				
10	No. B-6.	Ladder Chain Suspension only, with "S" safety hooks on each end	1.00	4 lbs.
10	No. G-4.	Ground Flange for attachment to extreme lower end of post	2.00	9 lbs.
10	No. J-430S.	Junior Stride suspension only	1.00	4 lbs.
MERRY-WAVE-STRIDES				
11	No. X-225.	Merry-Wave-Stride, complete, no post.....	70.00	275 lbs.
11	No. X-225P.	Post for Merry-Wave-Stride	21.00	175 lbs.
11	No. J-435.	Junior Merry-Wave-Stride, complete, no post.....	44.00	200 lbs.
11	No. J-435P.	Post for J-435	9.50	85 lbs.
SEPARATE PARTS—MERRY-WAVE-STRIDES				
11	No. Z-14.	Ball and Socket Head.....	12.00	31 lbs.
11	No. Z-100.	10 No. N-2 Hand Rail Castings.....	12.00	25 lbs.
11	No. Z-101.	6 Chain Suspensions	6.00	38 lbs.
11	No. Z-102.	Safety Inner Circle	12.00	53 lbs.
11	No. Z-103.	Hand Rail, with clamp castings N-1	12.00	29 lbs.
11	No. E-4.	Metal Rotating Bumper Wheel only.....	6.00	19 lbs.
11	2 No. E-5.	Bumper Wheel Flanges	6.00	30 lbs.
11	No. G-4.	Ground Flange	2.00	10 lbs.
11	1 Pr. No. N-1.	Hand Rail Clamp Castings only.....	1.00	2 lbs.
11	No. Z-111.	Laminated Wood Bumper Wheel.....	6.00	20 lbs.

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR PLAYGROUND APPARATUS		Price	Shipping Weight
MERRY-GO-ROUNDS				
12	No. X-503.	Portable Merry-Go-Round, complete	185.00	1500 lbs.
12	No. X-445.	Junior, "Fixed" Merry-Go-Round, complete	140.00	550 lbs.
WHIRLING CLIMB				
13	No. M-555.	Whirling Climb, complete	206.00	1275 lbs.
OCEAN WAVES				
14	No. B-210.	Ocean Wave, complete, no post.....	103.00	675 lbs.
14	No. B-210P.	Post for B-210	21.00	151 lbs.
14	No. J-440.	Junior Ocean Wave, complete, no post.....	55.00	200 lbs.
14	No. J-440P.	Post for J-440	7.75	68 lbs.
SEPARATE PARTS—OCEAN WAVES				
14	No. Z-14.	Ball and Socket Head	12.00	31 lbs.
14	No. Z-107.	Set 10 suspension rods	14.00	102 lbs.
14	No. Z-108.	Set 10 circle boards with connecting fittings.....	40.00	175 lbs.
14	No. Z-109.	Circular pipe hand rail with fittings	14.00	70 lbs.
14	No. Z-110.	Safety Inner Circle with braces	22.00	185 lbs.
14	No. E-4.	Metal Rotating Bumper Wheel	6.00	49 lbs.
14	2 No. E-5.	Bumper Wheel Flanges	6.00	30 lbs.
14	No. Z-111.	Laminated Wood Bumper Wheel.....	6.00	15 lbs.
14	No. G-4.	Ground Flange	2.00	9 lbs.
NOTE: Metal Bumper Wheel will be furnished on all outfits unless otherwise specified.				
SWINGS—STANDARD				
16	No. B-200.	Six Swing Outfit (long links), no pipe.....	82.00	340 lbs.
16	No. B-200P.	Galvanized Pipe for B-200	79.50	670 lbs.
16	No. B-200R.	Six Swing Outfit, same as B-200, except equipped with rubber bumper seats	91.00	360 lbs.
16	No. A-200.	Six Swing Outfit (short links), no pipe.....	70.00	300 lbs.
16	No. A-200P.	Galvanized Pipe for A-200	79.50	670 lbs.
16	No. A-200R.	Six Swing Outfit, same as A-200, except equipped with rubber bumper seats	78.00	320 lbs.
16	No. H-200.	Three Swing Outfit (long links), no pipe.....	44.00	190 lbs.
16	No. H-200P.	Galvanized Pipe for H-200	53.25	440 lbs.
16	No. H-200R.	Three Swing Outfit, same as H-200, except equipped with rubber bumper seats	49.00	210 lbs.
16	No. J-200.	Three Swing Outfit, same as H-200, except suspen- sions are short links	35.00	185 lbs.
16	No. J-200R.	Three Swing Outfit, same as J-200, except equipped with rubber bumper seats	44.00	205 lbs.
16	No. F-200.	Three Swing Outfit (long links), no pipe.....	38.00	150 lbs.
16	No. F-200P.	Galvanized Pipe for F-200	31.00	256 lbs.
16	No. F-200R.	Three Swing Outfit, same as F-200, except equipped with rubber bumper seats	42.00	165 lbs.
16	No. C-200.	Three Swing Outfit (short links), no pipe.....	34.00	135 lbs.
16	No. C-200P.	Galvanized Pipe for C-200	31.00	256 lbs.
16	No. C-200R.	Three Swing Outfit, same as C-200, except equipped with rubber bumper seats	38.00	155 lbs.
SWINGS—LIGHT WEIGHT				
17	No. J-300.	Eight Swing Outfit (short links), no pipe.....	85.00	310 lbs.
17	No. J-300P.	Galvanized Pipe for J-300	71.00	564 lbs.
17	No. K-300.	Six Swing Outfit (short links), no pipe.....	65.00	255 lbs.
17	No. K-300P.	Galvanized Pipe for K-300	58.00	459 lbs.
17	No. L-300.	Four Swing Outfit (short links), no pipe.....	45.00	195 lbs.
17	No. L-300P.	Galvanized Pipe for L-300	45.00	354 lbs.
17	No. M-300.	Two Swing Outfit (short links), no pipe.....	26.00	130 lbs.
17	No. M-300P.	Galvanized Pipe for M-300	32.00	249 lbs.

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR PLAYGROUND APPARATUS	Price	Shipping Weight
KINDERGARTEN CHAIR SEAT AND BABY HAMMOCK SWINGS			
18	No. K-114. Six Chair Seat Swing Outfit, no pipe.....	70.00	255 lbs.
18	No. K-114P. Galvanized Pipe for K-114	31.00	254 lbs.
18	No. K-116. Three Chair Seat Swing Outfit, no pipe.....	42.00	145 lbs.
18	No. K-116P. Galvanized Pipe for K-116	19.50	157 lbs.
18	No. K-115. Three Baby Hammock Swing Outfit, no pipe.....	42.00	120 lbs.
18	No. K-115P. Galvanized Pipe for K-115	19.50	157 lbs.
SEPARATE PARTS—SWINGS			
NOTE: Unless otherwise specified, all suspensions will be furnished for standard frames, 12 feet high.			
15-18	No. D-200. Single Seat Swing only (short links), with hanger clamps	8.00	25 lbs.
15-18	No. D-200A. Same without hanger clamps	5.00	18 lbs.
15-18	No. E-200. Single Seat Swing only (long links), with hanger clamps	11.00	30 lbs.
15-18	No. E-200A. Same without hanger clamps	8.00	24 lbs.
15-18	No. G-200. Swing Seat only, with clevises	2.00	7 lbs.
15-18	No. N-200. Single Seat Swing only (long and short links), with hanger clamps	8.50	25 lbs.
15-18	No. N-200A. Same without hanger clamps	5.50	18 lbs.
15-18	No. R-200L. Rubber Bumper Single Seat Swing only (long links), with hanger clamps	12.00	35 lbs.
15-18	No. R-200LA. Same without hanger clamps	9.00	28 lbs.
15-18	No. R-200S. Rubber Bumper Single Seat Swing only (short links), with hanger clamps	10.50	30 lbs.
15-18	No. R-200SA. Same without hanger clamps	7.50	23 lbs.
15-18	No. S-200. Single Seat Swing only (short links), with hanger clamps	7.50	25 lbs.
15-18	No. S-200A. Same without hanger clamps	4.50	18 lbs.
15-18	No. S-201. Swing Seat only, with clevises	2.00	5 lbs.
15-18	No. R-200. Rubber Bumper Swing Seat only, with clevises.....	4.75	7 lbs.
15-18	No. G-202. Short Link Chain Suspensions with hooks only, per pair	3.00	12 lbs.
NOTE: Unless otherwise specified, suspensions will be sent for standard 12 feet high frame.			
15-18	No. G-409. Long Link Suspensions with hooks only, per pair.....	5.00	14 lbs.
15-18	No. R-10. Clevis only, for swing seat only, each25	¾ lb.
15-18	No. R-8. Drop Forged Hook for attaching suspensions to seats or hanger clamps, each15	½ lb.
15-18	No. E-220. Self-propelling, Boat Type Swing, with hanger clamps..	35.00	154 lbs.
15-18	No. K-201. Single Chair Seat Swing only, with ball-bearing hanger clamps	9.75	18 lbs.
15-18	No. K-201A. Same without hanger clamps	6.75	13 lbs.
15-18	No. K-42. Single Baby Hammock Swing, with ball-bearing hanger clamps	10.50	15 lbs.
15-18	No. K-42A. Same without hanger clamps	7.50	10 lbs.
15-18	No. AX-54. Single Long Link only25	1 lb.
15-18	No. 8-O. Chain, steel, lock weave, galvanized, per foot.....	.12	½ lb.
SEE-SAWS			
19	No. C-137. Four Board See-Saw, complete, no pipe	60.00	350 lbs.
19	No. C-137P. Galvanized Pipe for C-137	8.25	90 lbs.
19	No. A-138. Four Board See-Saw, complete, portable, no pipe.....	72.00	375 lbs.
19	No. A-138P. Galvanized Pipe for A-138	8.50	70 lbs.
19	No. C-139. Two Board See-Saw, complete, no pipe	33.00	215 lbs.
19	No. C-139P. Galvanized Pipe for C-139	5.50	60 lbs.
19	No. B-135. Single See-Saw, complete	18.00	90 lbs.

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR PLAYGROUND APPARATUS		Price	Shipping Weight
SEPARATE PARTS—SEE-SAWS				
19	No. A-136.	Board only, with fulcrum for 2-inch beam and 2 handles	13.00	90 lbs.
19	No. X-18.	Adjustable Teeter Fulcrum for 2-inch pipe, with clamp, chain and bolts	3.50	12 lbs.
19	No. E-18.	Pair Notched Teeter Fulcrum castings only, for 2-inch pipe	2.50	11 lbs.
19	No. X-8.	Adjustable Teeter Fulcrum for 3-inch pipe, with clamp, chain and bolts	3.00	12 lbs.
19	No. E-8.	Pair Notched Teeter Fulcrum castings only, for 3-inch pipe	2.00	11 lbs.
19	No. X-30.	New Adjustable and Non-Removable Fulcrum for 2-inch pipe	3.75	10 lbs.
19	No. X-9.	Hinge type fulcrum for 3-inch beam, with board bolts..	3.25	10 lbs.
19	No. T-1.	Teeter Board Handle only, with bolts	1.00	2 lbs.
HORIZONTAL LADDERS				
20	No. X-304.	Horizontal Ladder, complete	60.00	370 lbs.
20	No. X-465.	Junior Horizontal Ladder, complete	45.00	270 lbs.
BASKET BALL BACKSTOPS AND GOALS				
20	No. B-310.	Wood Frame Basket Ball Backstops with 16 gauge galvanized, perforated steel sheet covering and with goals and chain baskets, per pair, no post.....	65.00	240 lbs.
20	No. 310P.	Galvanized 3-inch posts for B-310.....	27.50	243 lbs.
20	No. B-315.	Same as No. B-310, except has plain, unperforated steel sheet for covering	55.00	240 lbs.
20	No. B-315P.	Galvanized 3-inch posts for B-315.....	27.50	243 lbs.
20	No. B-301.	Pair of Goals and Chain Baskets only, with hangers.....	12.00	45 lbs.
20	No. B-300.	Pair of Chain Baskets only, for attachment to goals.....	5.00	6 lbs.
VOLLEY BALL POSTS AND TENNIS POSTS				
20	No. B-186.	Combination Volley Ball and Tennis Posts (pair).....	15.00	95 lbs.
20	No. B-187.	Tennis Posts only (pair)	10.00	75 lbs.
ROCK-A-BYE OR LOG SWING				
21	No A-240.	Log Swing, complete	88.00	450 lbs.
TEETER LADDERS				
22	No. B-153.	Single Teeter Ladder only, with roller-bearing fulcrums	25.00	85 lbs.
22	No. B-155.	Single, Adjustable Teeter Ladder Outfit, complete.....	40.00	178 lbs.
22	No. B-157.	Double Teeter Ladder Outfit, complete, no pipe.....	55.00	200 lbs.
22	No. B-157P.	Galvanized Pipe for B-157	14.50	200 lbs.
HORIZONTAL BARS—JUMP STANDARDS—VAULTING STANDARDS				
22	No. AB-90.	Horizontal Bar Outfit, complete	34.00	200 lbs.
22	No. AB-31.	Horizontal Bar only, with "U" shaped or hinged clamps for either 2-inch or 3-inch pipe	8.00	30 lbs.
22	No. A-184.	Portable Jump Standards, complete	16.00	80 lbs.
22	No. B-184.	Fixed Jump Standards, complete	14.00	80 lbs.
22	No. B-185.	Fixed Vaulting Standards, complete, pair	25.00	125 lbs.
22	No. J-470.	Junior Horizontal Bar Outfit, complete	17.00	100 lbs.

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR PLAYGROUND APPARATUS		Price	Shipping Weight
PARALLEL BARS—HORSES—BUCKS—MATS				
23	No. AB-40.	Parallel Bars, 8-foot length, complete	32.00	200 lbs.
23	No. AB-44.	Parallel Bars, 10-foot length, complete	37.00	220 lbs.
23	No. AC-91.	Vaulting Horse, complete	60.00	220 lbs.
23	No. AC-92.	Vaulting Buck, complete	32.00	130 lbs.
23	No. AB-93.	Inclined Board, complete	8.00	75 lbs.
23	No. AB-25.	Playground Mat, 3 x 5 ft.	21.00	55 lbs.
23	No. AB-26.	Playground Mat, 4 x 6 ft.	29.00	70 lbs.
23	No. AB-27.	Playground Mat, 5 x 6 ft.	35.00	75 lbs.
HAPPY TIME PLAY APPARATUS FOR THE HOME				
24-25	No. HT-114.	Happy Time 4 play 3 user All Metal Gym	45.90	125 lbs.
24-25	No. HT-115.	Happy Time 8-foot Slide	20.00	110 lbs.
24-25	No. HT-117.	Happy Time 10-foot Slide	23.20	120 lbs.
24-25	No. HT-119.	Happy Time 12-foot Slide	24.50	130 lbs.
24-25	No. HT-116.	Happy Time 3 play 3 user Wood Gym	17.90	75 lbs.
24-25	No. HT-118.	Happy Time 3 play 1 user All Metal Gym	22.00	80 lbs.
24-25	No. HT-121.	Happy Time Sand Box (3 x 3 ft.)	7.00	40 lbs.
24-25	No. HT-122.	Happy Time Canopy for Sand Box	13.00	9 lbs.
24-25	No. HT-123.	Happy Time Wading Pool Attachment for Sand Box..	6.90	3 lbs.
24-25	No. HT-127.	Happy Time Rocking Boat	8.00	40 lbs.
24-25	No. HT-104.	Happy Time Rocking Teeter	9.60	35 lbs.
24-25	No. HT-120.	Happy Time Ball-Bearing Whirling See-Saw	8.70	50 lbs.
24-25	No. HT-124.	Happy Time 5 play 1 user Wood Gym	15.00	80 lbs.
24-25	No. HT-126.	Happy Time 3 play 1 user Wood Gym	13.00	70 lbs.
TRAVELING RING OUTFITS				
26	No. B-250.	Circular Traveling Rings, equipped with 8 aluminum rings, complete, no post	100.00	380 lbs.
26	No. B-250P.	Galvanized post for B-250	24.00	175 lbs.
26	No. E-800.	Traveling Ring Outfit, equipped with 6 metal tube rings, complete, no pipe	43.00	190 lbs.
26	No. E-800A.	Same equipped with 6 aluminum rings	55.00	185 lbs.
26	No. E-800P.	Galvanized Pipe for E-800 and E-800A	95.50	805 lbs.
SEPARATE PARTS—TRAVELING RING OUTFITS				
26	No. B-207.	Metal Traveling Ring only, with hanger clamp	3.50	9 lbs.
26	No. A-207.	Same without hanger clamp	2.00	6 lbs.
26	No. C-207.	Metal Ring only, no hanger or suspension	1.00	2 lbs.
26	No. B-215.	Aluminum Traveling Ring only, with hanger clamp.....	5.50	8 lbs.
26	No. A-215.	Same without hanger clamp	4.00	5 lbs.
26	No. C-215.	Aluminum Ring only, no hanger or suspension	3.00	1½ lbs.
26	No. G-410.	Short Link Chain Suspension with hooks only, for Traveling Ring	1.00	2 lbs.
26	No. AB-93.	Inclined Board, complete	8.00	75 lbs.
FLAG STAFFS				
27	20 ft. Staff, 23 ft. overall, 6-inch top ball and pulley.....	15.00	101 lbs.	
27	30 ft. Staff, 34 ft. overall, 6-inch top ball and pulley.....	25.00	175 lbs.	
27	40 ft. Staff, 44 ft. overall, 6-inch top ball and pulley.....	40.00	283 lbs.	
27	50 ft. Staff, 55 ft. overall, 6-inch top ball and pulley.....	67.00	430 lbs.	
27	No. 2 Lock Weave Galvanized Steel Chain for Halyard, per foot.....	.05	1½ oz.	
NOTE: When ordering chain for flag hoist, double the height of staff above ground, less 5 feet. We do not furnish rope for hoist.				
27	No. X-200.	Combination Ball Finish and Sheave Pulley	6.00	12 lbs.
27	No. X-201.	Cross, Top Finish for Flag Staff (see Note).....	10.00	6 lbs.
27	No. X-202.	Eagle, Top Finish for Flag Staff (see Note).....	15.00	4 lbs.
NOTE: No. X-201 Cross and No. X-202 Eagle for Top Finish on Flag Staffs are furnished as extra equipment and are priced in addition to the price of Staff desired.				

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR PLAYGROUND APPARATUS	Price	Shipping Weight
HOME COMBINATION OUTFITS			
28	No. J-471. Single Swing Outfit, complete, no pipe	30.00	150 lbs.
28	No. J-471P. Pipe for J-471	14.00	120 lbs.
28	No. J-472. Three Unit Home Combination Outfit, complete, no pipe	42.00	170 lbs.
28	No. J-472P. Pipe for J-472	11.00	127 lbs.
28	No. J-475. Four Unit Home Combination Outfit, complete, no pipe	51.00	200 lbs.
28	No. J-475P. Pipe for J-475	13.00	141 lbs.
SEPARATE PARTS—COMBINATION OUTFITS			
29	No. IPC-14. Combination Ladder, Guards, and pair Inclined Sliding Poles, no supporting frame fittings or pipe....	55.00	440 lbs.
29	No. VPC-17. Combination Ladder, Guard Arms and Vertical Pole, no supporting frame fittings or pipe	44.00	230 lbs.
29	No. B-212. Climbing Pole, with hanger clamp and chain anchor....	7.00	40 lbs.
29	No. A-212. Same without hanger clamp	6.00	37 lbs.
29	No. B-213. Climbing Rope (1½ inch) only, with hanger clamp and chain anchor	9.00	24 lbs.
29	No. A-213. Same without hanger clamp	8.00	21 lbs.
29	No. B-209. Flexible Ladder only, with hanger clamps and chain anchors	18.00	60 lbs.
29	No. A-209. Same without hanger clamps	16.00	54 lbs.
29	No. B-205. Metal Flying Rings, with B. B. hangers, per pair.....	7.00	18 lbs.
29	No. A-205. Same without B. B. hangers, per pair	4.00	12 lbs.
29	No. C-205. Pair Metal Rings only, no hanger clamps or chain suspensions	2.00	5 lbs.
29	No. D-205. Pair chain suspensions only, with "S" safety hooks.....	2.00	3 lbs.
29	No. B-204. Aluminum Flying Rings, with B. B. hangers, per pair	11.00	16 lbs.
29	No. A-204. Same without B. B. hangers, per pair	8.00	10 lbs.
29	No. C-204. Pair Aluminum Rings only, no hanger clamps or chain suspensions	6.00	3 lbs.
29	No. D-204. Pair chain suspensions only, with "S" safety hooks.....	2.00	3 lbs.
29	No. B-211. Steel Trapeze only, with B. B. hangers	7.00	20 lbs.
29	No. A-211. Same without B. B. hangers	4.00	14 lbs.
29	No. C-211. Bar only, with end fittings, but no hanger clamps or chain suspensions	2.00	7 lbs.
29	No. IL-14. Inclined Steel Ladder for 14 ft. frame	23.00	124 lbs.
29	No. IP-14. Inclined Steel Poles for 14 ft. frame, pair	22.00	140 lbs.
29	No. VP-17. Vertical Pole for 14 ft. frame	10.00	55 lbs.
29	No. BA-6. Safety Guards for Inclined Poles, pair	10.50	35 lbs.
29	No. AB-32. Safety Guard Arms for Vertical Pole	7.00	25 lbs.
29	No. AB-31. Horizontal Bar with either 2-inch or 3-inch hinge clamps	8.00	42 lbs.
JUNIOR COMBINATION OUTFITS			
30	No. X-125. Apparatus and frame fittings, no pipe	132.00	700 lbs.
30	No. X-125P. Galvanized Pipe for X-125	27.75	387 lbs.
30	No. X-130. Apparatus and frame fittings, no pipe	136.00	715 lbs.
30	No. X-130P. Galvanized Pipe for X-130	38.00	424 lbs.
31	No. J-480. Apparatus and frame fittings, no pipe	27.00	145 lbs.
31	No. J-480P. Galvanized Pipe for J-480	20.00	256 lbs.
31	No. J-485. Apparatus and frame fittings, no pipe	36.00	175 lbs.
31	No. J-485P. Galvanized Pipe for J-485	20.00	228 lbs.
32	No. X-129. Apparatus and frame fittings, no pipe	34.00	125 lbs.
32	No. X-129P. Galvanized Pipe for X-129	31.00	270 lbs.
32	No. X-127. Apparatus and frame fittings, no pipe	63.00	300 lbs.
32	No. X-127P. Galvanized Pipe for X-127	43.00	375 lbs.
SENIOR COMBINATION OUTFITS			
33	No. E-900. Apparatus and frame fittings, no pipe	100.00	380 lbs.
33	No. E-900P. Galvanized Pipe for E-900	104.25	876 lbs.

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR PLAYGROUND APPARATUS		Price	Shipping Weight
SENIOR COMBINATION OUTFITS—Continued				
34	No. E-905.	Apparatus and frame fittings, no pipe	140.00	610 lbs.
34	No. E-905P.	Galvanized Pipe for E-905	84.50	710 lbs.
35	No. E-915.	Apparatus and frame fittings, no pipe	97.00	375 lbs.
35	No. E-915P.	Galvanized Pipe for E-915	87.00	716 lbs.
36	No. E-950.	Apparatus and frame fittings, no pipe	249.00	1100 lbs.
36	No. E-950P.	Galvanized Pipe for E-950	125.50	1165 lbs.
FRAME FITTINGS AND MISCELLANEOUS PARTS				
38	No. C-28.	Combination End Fitting, 3-inch pipe beam, 2-inch pipe uprights	6.00	23 lbs.
38	No. C-48.	Same for 2-inch beam and 1½-inch uprights	4.00	11 lbs.
38	No. C-29.	Combination Center Fitting, 3-inch pipe beam, 2-inch pipe uprights	7.00	23 lbs.
38	No. C-49.	Same for 2-inch beam and 1½-inch uprights	4.00	10 lbs.
38	No. C-11.	Combination Center Fitting, 3-inch pipe beam, 1½- inch uprights, designed for small swing outfits.....	6.00	22 lbs.
38	No. C-12.	Combination End Fitting, 3-inch pipe beam, 1½-inch uprights, designed for small swing outfits	4.50	17 lbs.
38	No. C-42.	Same for 2-inch beam and 1½-inch uprights	3.50	9 lbs.
38	No. A-13.	Single Elbow for 3-inch pipe	5.00	25 lbs.
38	No. A-14.	Single Elbow for 3-inch top pipe, 2-inch pipe upright..	4.75	20 lbs.
38	No. A-11.	Single Elbow for 2-inch pipe	3.25	9 lbs.
38	No. X-1.	Single Brace Clamp, to clamp 3-inch upright and receive either a 1½-inch or 2-inch brace connec- tion. Complete with plug	2.50	9 lbs.
38	No. X-2.	Same for 2-inch upright	2.50	8 lbs.
38	No. X-17.	Same for 1¼-inch upright	2.50	1 lb.
38	No. X-24.	Same for 1½-inch upright	2.50	1 lb.
38	No. X-6.	Double Brace Clamp, to clamp 3-inch upright and receive two brace connections of either 1½-inch or 2-inch pipe. Complete with two plugs	3.50	13 lbs.
38	No. X-7.	Same for 2-inch upright	3.50	10 lbs.
38	No. F-6.	Single Tee for 3-inch pipe	6.50	22 lbs.
38	No. F-4.	Single Tee for 3-inch top pipe, 2-inch pipe upright.....	5.50	20 lbs.
38	No. F-3.	Single Tee for 2-inch pipe	3.50	9 lbs.
38	No. F-10.	Tee Clamp, 2-inch pipe clamp, 3-inch pipe outlet.....	2.50	9 lbs.
38	No. A-29.	Platform Hinge Plate	3.00	13 lbs.
38	No. A-19M.	Chute Hinge Plate	3.00	10 lbs.
38	No. X-45A.	Adjustable Foot Flange for 1¼-inch pipe leg.....	2.50	5 lbs.
38	No. X-45B.	Adjustable Foot Flange for 1½-inch pipe leg.....	2.50	5½ lbs.
38	No. X-45C.	Adjustable Foot Flange for 2-inch pipe leg.....	2.50	6 lbs.
39	No. B-5.	Horizontal Bar Hinged Clamp, to clamp 1½-inch steel bar to 2-inch upright	1.25	4 lbs.
39	No. B-6.	Same for 3-inch upright	1.25	5 lbs.
39	No. F-12.	Tee Clamp for attaching 3-inch horizontal beam to 2-inch upright	5.00	18 lbs.
39	No. F-16.	Tee Clamp for 3-inch pipe both ways	6.00	19 lbs.
39	No. B-11.	Malleable Clamp for Climbing Ropes, Flexible Lad- ders, 3-inch pipe	1.00	3 lbs.
39	No. D-16.	Horizontal Bar Clamp, adjustable for 1⅝-inch steel bar, 3-inch upright	1.75	6 lbs.
39	No. B-17.	Same for 2-inch upright	1.75	4 lbs.
39	No. C-2.	Roller Bearing Clamp for wood beam.....	1.50	3 lbs.
39	No. Z-9.	Six Suspension Head for Ocean Wave or Merry- Wave-Stride	12.00	31 lbs.
39	No. Z-14.	Ten Suspension Head for Ocean Wave or Merry- Wave-Stride	12.00	31 lbs.
39	No. B-50.	Eight Ladder Giant Stride Pivot Head for steel or wood post	6.00	17 lbs.
39	No. S-50.	Same for six ladders	6.00	17 lbs.
39	No. T-1.	One piece, Malleable Iron, Teeter Board Handle	1.00	2 lbs.

PLEASE EXTEND PRICES ON YOUR ORDERS

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR PLAYGROUND APPARATUS		Price	Shipping Weight
GROUND FLANGES AND MISCELLANEOUS PARTS				
39	No. G-0.	For 1¼-inch pipe	1.00	4 lbs.
39	No. G-1.	For 1½-inch pipe	1.00	4 lbs.
39	No. G-2.	For 2-inch pipe	1.00	5 lbs.
39	No. G-3.	For 3-inch pipe	1.50	6 lbs.
39	No. G-4.	For 4-inch pipe	2.00	9 lbs.
39	No. X-18.	Adjustable Teeter Fulcrum for 2-inch pipe with clamp, chain and bolts	3.50	12 lbs.
39	No. E-18.	Pair Notched Teeter Fulcrum Casting only, for 2- inch pipe	2.50	11 lbs.
39	No. X-8.	Same for 3-inch pipe	3.00	12 lbs.
39	No. E-8.	Pair Notched Teeter Fulcrum Castings only, for 3- inch pipe	2.00	11 lbs.
39	No. X-30.	New Adjustable, non-removable fulcrum for 2-inch pipe	3.75	10 lbs.
39	No. R-8.	Drop Forged Steel "S" Safety Hook, used wherever suspensions are to be attached to fittings.....	.15	½ lb.
39	No. X-9.	Hinge Teeter Fulcrum, with bolts, for 3-inch pipe.....	3.25	10 lbs.
26	No. C-27.	Roller Bearing—3-inch pipe—Traveling Rings	1.75	4 lbs.
19	No. T-27.	Pipe Clamp—3-inch—Teeter Fulcrum	1.00	3 lbs.
39	No. E-26.	Pipe Clamp—2-inch—Teeter Fulcrum	1.00	2 lbs.
39	No. F-2.	Tee, 1½ by 2 inch, Teeter Frame	2.00	3 lbs.
BALL AND ROLLER BEARING CLAMPS				
40	No. A-400.	Ball Bearing Clamp Fitting, 3-inch pipe	1.50	4 lbs.
40	No. A-403.	Ball Bearing Clamp Fitting, 2-inch pipe	1.50	4 lbs.
40	No. B-404.	Roller Bearing Clamp Fitting, 2½-inch pipe	2.00	4 lbs.
40	No. B-405.	Roller Bearing Clamp Fitting, 4-inch pipe	2.25	7 lbs.
40	No. B-406.	Roller Bearing Clamp Fitting, 6-inch pipe	2.50	8 lbs.
40	No. C-33.	Extra Heavy Roller Bearing Clamp for Teeter Lad- ders and Log Swing	2.50	6½ lbs.
39-40	No. C-2.	Roller Bearing for wood beam	1.50	3 lbs.

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR WATER APPARATUS		Price	Shipping Weight
POISED SAFETY SWING DIVING OUTFIT				
42	No. D-600.	Poised Safety Swing Diving Outfit, complete, no pipe....	180.00	1300 lbs.
42	No. D-600P.	Galvanized Pipe for D-600	49.50	362 lbs.
			Price	
			Rust-Resisting Galvanized Metal Bedways	Guaranteed Rust-Proof Bedways
LAKE BOTTOM SLIDES				
43	No. W-607.	26 ft. Straight Lake Bottom Slide, complete	283.00	815 lbs.
43	No. W-608.	20 ft. Straight Lake Bottom Slide, complete	220.00	640 lbs.
43	No. W-609.	16 ft. Straight Lake Bottom Slide, complete	186.00	485 lbs.
43	No. W-610.	30 ft. Wave Lake Bottom Slide, complete....	325.00	835 lbs.
43	No. W-611.	20 ft. Wave Lake Bottom Slide, complete....	220.00	660 lbs.
43	No. W-612.	16 ft. Wave Lake Bottom Slide, complete....	191.00	505 lbs.
NOTE: All the above prices are based on outfits for water not over 4 feet deep.				
NATATORIUM SLIDES				
43	No. W-619.	26 ft. Straight Natatorium Slide, complete....	203.00	705 lbs.
43	No. W-620.	20 ft. Straight Natatorium Slide, complete....	160.00	530 lbs.
43	No. W-621.	16 ft. Straight Natatorium Slide, complete....	130.00	390 lbs.
43	No. W-622.	30 ft. Wave Natatorium Slide, complete.....	223.00	725 lbs.
43	No. W-623.	20 ft. Wave Natatorium Slide, complete.....	170.00	555 lbs.
43	No. W-624.	16 ft. Wave Natatorium Slide, complete.....	140.00	400 lbs.
WATER RACER SLIDES				
44	No. W-643.	26 ft. Straight Water Racer Slide, complete	485.00	2015 lbs.
44	No. W-644.	20 ft. Straight Water Racer Slide, complete	385.00	1590 lbs.
44	No. W-645.	16 ft. Straight Water Racer Slide, complete	325.00	1280 lbs.
44	No. W-646.	30 ft. Wave Water Racer Slide, complete....	516.00	2040 lbs.
44	No. W-647.	20 ft. Wave Water Racer Slide, complete....	377.00	1620 lbs.
44	No. W-648.	16 ft. Wave Water Racer Slide, complete....	337.00	1310 lbs.
POOL SLIDES				
44	No. W-625.	26 ft. Straight Pool Slide, complete.....	326.00	1255 lbs.
44	No. W-626.	20 ft. Straight Pool Slide, complete.....	241.00	990 lbs.
44	No. W-627.	16 ft. Straight Pool Slide, complete.....	211.00	590 lbs.
44	No. W-628.	30 ft. Wave Pool Slide, complete.....	339.00	1275 lbs.
44	No. W-629.	20 ft. Wave Pool Slide, complete.....	245.00	1010 lbs.
44	No. W-630.	16 ft. Wave Pool Slide, complete.....	215.00	610 lbs.
NOTE: Measurements of pool, surrounding platforms, depths of water, and slant of bottom are necessary. Please furnish when ordering Pool Slides.				
CHUTES ONLY, Straight Type				
43-44	No. W-649.	Straight Chute only, 26 ft.	148.00	390 lbs.
43-44	No. W-650.	Straight Chute only, 20 ft.	109.00	300 lbs.
43-44	No. W-651.	Straight Chute only, 16 ft.	85.00	240 lbs.
CHUTES ONLY, Wave Type				
43-44	No. W-652.	Wave Chute only, 30 ft.	185.00	405 lbs.
43-44	No. W-653.	Wave Chute only, 20 ft.	135.00	310 lbs.
43-44	No. W-654.	Wave Chute only, 16 ft.	100.00	250 lbs.
NOTE: Chute prices include standard Chute leg supports for 4-foot depth of water. Special length Straight Chutes with galvanized metal bedways will be furnished at \$6.50 per lineal foot. Special length Wave Chutes with galvanized metal bedways will be furnished at \$7.25 per lineal foot.				

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR WATER APPARATUS	Price	Shipping Weight
STANDARD STEEL STAIRS ONLY			
STEEL STAIRS FOR LAKE BOTTOM OUTFITS			
43	Nos. W-607—W-610. Stairs only	140.00	190 lbs.
43	Nos. W-608—W-611. Stairs only	125.00	140 lbs.
43	Nos. W-609—W-612. Stairs only	115.00	125 lbs.
NOTE: All of the above prices are based on outfits for water not over 4-foot depth and include all necessary stair braces.			
STEEL STAIRS FOR NATATORIUM SLIDE OUTFITS			
43	Nos. W-619—W-622. Stairs only	75.00	300 lbs.
43	Nos. W-620—W-623. Stairs only	62.00	230 lbs.
43	Nos. W-621—W-624. Stairs only	55.00	190 lbs.
STEEL STAIRS FOR WATER RACER SLIDE OUTFITS			
44	Nos. W-643—W-646. Stairs only	117.80	295 lbs.
44	Nos. W-644—W-647. Stairs only	97.00	225 lbs.
44	Nos. W-645—W-648. Stairs only	83.00	198 lbs.
STEEL STAIRS FOR POOL SLIDE OUTFITS			
44	Nos. W-625—W-628. Stairs only	66.40	160 lbs.
44	Nos. W-626—W-629. Stairs only	46.50	130 lbs.
44	Nos. W-627—W-630. Stairs only	40.00	115 lbs.
NOTE: Special length single steel stairs will be furnished at \$7.25 per lineal foot additional to or less than above heights. Special length double stairs will be furnished at \$10.00 per lineal foot additional to or less than above heights.			
WATER-FLUSHING CONNECTIONS			
45	No. W-661. Water-Flushing Connection only	3.00	1 lb.
SPRING BOARD			
45	No. X-662. Spring Board, base and anchors, complete..	55.00	150 lbs.
DOUBLE LANDING STAIRS			
46	No. WL-1. Pool 4 feet deep	46.00	103 lbs.
46	No. WL-2. Pool 5 feet deep	52.00	113 lbs.
46	No. WL-3. Pool 6 feet deep	58.00	123 lbs.
46	No. WL-4. Pool 7 feet deep	64.00	133 lbs.
46	No. WL-5. Pool 8 feet deep	70.00	143 lbs.
46	No. WL-6. Pool 9 feet deep	76.00	155 lbs.
SINGLE LANDING STAIRS			
46	No. WL-7. Pool 4 feet deep	27.00	81 lbs.
46	No. WL-8. Pool 5 feet deep	31.00	91 lbs.
46	No. WL-9. Pool 6 feet deep	35.00	101 lbs.
46	No. WL-10. Pool 7 feet deep	39.00	111 lbs.
46	No. WL-11. Pool 8 feet deep	43.00	121 lbs.
46	No. WL-12. Pool 9 feet deep	47.00	131 lbs.

PLEASE EXTEND PRICES ON YOUR ORDERS

Cat. Page	EVERWEAR WATER APPARATUS	Price	Shipping Weight
DOUBLE LANDING LADDER			
46	No. WL-13. Pool 4 feet deep	37.00	150 lbs.
46	No. WL-14. Pool 5 feet deep	42.00	162 lbs.
46	No. WL-15. Pool 6 feet deep	47.00	174 lbs.
46	No. WL-16. Pool 7 feet deep	52.00	186 lbs.
46	No. WL-17. Pool 8 feet deep	57.00	198 lbs.
46	No. WL-18. Pool 9 feet deep	62.00	210 lbs.
SINGLE LANDING LADDER			
46	No. WL-19. Pool 4 feet deep	22.00	95 lbs.
46	No. WL-20. Pool 5 feet deep	25.00	107 lbs.
46	No. WL-21. Pool 6 feet deep	28.00	119 lbs.
46	No. WL-22. Pool 7 feet deep	31.00	131 lbs.
46	No. WL-23. Pool 8 feet deep	34.00	143 lbs.
46	No. WL-24. Pool 9 feet deep	37.00	155 lbs.

PLEASE EXTEND PRICES ON YOUR ORDERS

Date	Page	Title
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease
		The American Medical Association's position on the use of force in the treatment of mental disease



Let the children play the Everwear way—safely!

WE UNHESITATINGLY recommend EverWear Playground Apparatus as the best within its field. It is a high quality line throughout and is particularly noted for its safety, durability, beauty and playability.

The EverWear line is the largest and most complete on the market today. It consists of all the standard playground outfits, as well as many other approved types which are typically EverWear in their appeal. It is thus easy to find just the outfits which will fully satisfy the varying natures of children.

Every conceivable arrangement of outfit is easily secured by the use of the EverWear Patented Double Compression Toothed "Dog" Heavy One-Piece Rust-Proofed Malleable Iron fittings. These fittings are most simple in operation and positive in their safety. When pipe is inserted in the EverWear fittings, it is there to stay. The new EverWear Lubricated Ball Bearing Hanger Clamps for

swings, rings, trapeze, etc., are the only clamps which provide for positive lubrication at all times.

All EverWear Playground Apparatus outfits are sold on a simple guaranty of absolute satisfaction or your money back. The EverWear Manufacturing Company is the world's oldest and largest exclusive maker of playground apparatus and its product has a world-wide distribution.

If you wish a copy of the complete Everwear catalog, we shall be very glad to send you one, without charge.

The EverWear Playground Apparatus outfits shown in the above illustration are as follows:

No. AB-0 Giant Stride.
No. B-189 16' Slide.
No. A-137 4 Board See-Saw.
No. M-555 Whirling Climb.

No. B-304 Horizontal Ladder.
No. A-200 6 Swing Outfit.
No. B-225 Merry-Wave-Stride.
No. B-310 Basket Ball Back Stop.
No. B-186 Volley Ball Posts.

The Everwear Manufacturing Co.

ESTABLISHED 1908

SPRINGFIELD, OHIO, U.S.A.

March 15, 1930

1930

is going to be
a good year -

Let's make it so!

A general - personal message.

We are indeed very happy to place our new 1930 Catalog No. 22 in your hands. We have been told "it is a beauty" and we hope you, too, will like it.

Of course, we do not know what items of playground apparatus you will be in the market for this good year, but are hoping you will believe it best to buy our splendid EverWear Apparatus for your requirements.

EverWear is splendid apparatus - we promise this. We could repeat what others say that "no other make equals EverWear in safety, durability, beauty, and playability" but it is not improbable that you know this as well as they.

May we suggest that you specify "EverWear or equal" if you are required to secure competitive bids; and then insist that equality be proven? This will insure that you will secure EverWear for your playgrounds and will, at the same time, help you to fulfill your highest obligation to the children who seek safe and healthful recreation thru your good offices.

Prices on EverWear Playground Apparatus are most reasonable for apparatus of such evident safety and high quality.

We express the hope that you will be enjoying a most successful year and that health and happiness will ever attend your ways.

Cordially and sincerely,

The EverWear Manufacturing Co.

By

W. B. Evans

